



## LANDSCAPE CATALOG

Our Company  Distinct Colors & Textures  Dimensional Compatibility  Inspiration Galleries	6 8
Pavers, Slabs & Permeable	
VANTAGE PAVERS®	6
VANTAGE PAVERS® 4x8	8
Grand VANTAGE PAVERS® 4	$\circ$
DISCOVER PAVERS®	2
Grand DISCOVER PAVERS® 4	6
Grand XL DISCOVER PAVERS®	2
Grand FUSION PAVERS™	6
Grand TRANQUILITY PAVERS®	0
ELEMENTS™ Paving Stones	
Glow Path Technology $^{\text{TM}}$	4
DESTINATION PAVERS®	6
INFLUENCE PAVERS®	8
ESSENCE® Wood Grain Plank Pavers 7	O
SKYLANDS™ Concrete Deck Pavers	
H <sub>2</sub> O PRO® Pavers	
REJUVENATE™ Permeable Pavers 7	5

Wall Systems  Retaining Walls, Freestanding Walls, Landscaping Units, Columns & Caps  Tribute® Wall Systems	Step UnitsPassageways® Step Units112Landscape Step Units114Oversize Landscape Step Units116Fire Pit Kits & LightingTribute® Smooth Landscape Units Square Fire Pit Kits120Unity™ Landscape Units Square Fire Pit Kits120Summit Stone® Landscape Units Square Fire Pit Kits121Summit Stone® Landscape Units Circle Fire Pit Kits122Fire Pit Caps123
VagnumStone Retaining VVall System 98  Vall & Pillar Caps	Fire Pit Caps
Coping         PRESTIGE™ Coping Pavers       104         Demi PRESTIGE™ Coping Pavers       106         Grand CREST™ Bullnose Pavers       108	Additional ResourcesWarranty Information126Care & Maintenance128Index130

(800) 242-7733 info@countymaterials.com countymaterials.com











County Materials' time-tested landscape products help landscaping professionals and homeowners create the designs of their dreams.

County Materials was founded on the principles of working hard, taking pride in results, and building relationships, and these principles continue to drive our success. Our experienced and knowledgeable sales representatives are always willing to go the extra mile to ensure the satisfaction of our valued customers, whether that means answering questions, providing product samples, or offering creative solutions to overcome project challenges.

Our diverse product offerings are all made right here in America by our experienced and talented team. We draw inspiration from nature, developing rich colors and refined surface textures that withstand the effects of time and weather.

We have more than 75 years of experience creating long-lasting concrete landscape

**products** that are used and loved by families across the country. As a third-generation American-owned family business, we are inspired to help our customers create warm and inviting gathering spaces that bring people together.

Discover the potential of your outdoor living and gathering spaces with County Materials' concrete landscape products.

We're continuously building
a company that hardworking people
are proud to work for, live near,
and do business with Since 1946.

Tim Sonnentag
OWNER, COUNTY MATERIALS CORPORATION




Proud to be American based and American made.



arDelta

### **DISTINCT COLORS & TEXTURES**



We concentrate the purest color pigments, finest aggregates, and densest concrete mix in the surface layer of each paving stone, where it is visible and matters most.

The refined surface of our pavers features a permanent, integrally blended layer of high-strength concrete mix. It's the perfect combination of vibrant color pigments and solid surface materials for rich, long-lasting colors. Inspired by elements found in nature, we developed a color palette and texture options that exemplify bold and subtle expressions of mood and feeling. Our pavers create an ambiance that encourages lingering outdoors, creating memories, and sharing time with loved ones.

We craft inspiring, time-tested products with colors and textures that conjure memorable feelings and experiences. When we developed our distinctive color palette, we chose color names that evoke emotion. Giving a name to a powerful colorway visualizes feelings and helps bring dreams to life. Colors are tools of perception. Used in design and art to conjure positive emotions and memories, color communicates in strong, irreplaceable ways.

### Paver Colors

Colors shown may vary from actual hues.

### SOLID



### Vision

Clean, effortless white shade. Bright, light, and inspiring.



### Beckon

A fawn brown with alluring golden highlights that emulate a fire's warmth on a chilly night.



### Dream

A fantasy blending of gray and beige, this greige color creates a base for beautiful landscape design.



### Reflection

Moody, charcoal color eliciting the calm and introspection of peering into a deep, dark lake at night.

### **BLENDED**



### Intention

Gorgeous light dove gray evoking a lofty feeling of ambition.



### Allure

A captivating cloud gray for a serene space.



### Majestic

Incredible slate gray, conjuring the majestic feeling when gazing toward a towering mountain peak.



### Exalt

A time-honored cool shade of blue-gray used throughout history in classic designs.



### Enlighten

A warm, illuminating blend of earth brown and taupe that is inspired by the natural world.



### Timeless

A classic option inspired by smoky gray clouds and worn cobblestones.



### Serenity

This calming rose-gray mirrors the brushstroke of colors that wash the sky during a summer sunset.



### Pride

A timeless leather brown for a distinguished and dignified space.

### The color photos shown in this catalog were prepared with careful attention to accuracy. However, colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete units are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry.

### Retaining Wall Colors Smooth

Colors shown may vary from actual hues.

### SOLID



VISION

ALLURE



BECKON **BLENDED** 



**ENLIGHTEN** 





TIMELESS MAJESTIC

### Splitface

Colors shown may vary from actual hues

### SOLID







BUFF OCTOBER OAK

### **BLENDED**







GRAPHITE

BROWN

SWISS MOCHA CANYON





**TIMELESS** 

Textures

### **PAVERS**







VANTAGE

TRANQUILITY

**FUSION** 

DESTINATION

ESSENCE

### CAPS, COPING & RETAINING WALL







SMOOTH

SPLITFACE

**BURNISHED** 

### SPECIAL ORDER FINISHES







SHOTBLAST BARREL TUMBLED

RUSTIC

### DIMENSIONAL COMPATIBILITY

# INTENTIONAL & INSPIRING

### Dimensional Design

Reflection

Our series of dimensionally compatible pavers are designed to help hardscape professionals and homeowners achieve their desired look and



### Intentionality

Details matter – that's why we designed a comprehensive collection of landscape products to help build custom, comfortable, time-tested outdoor spaces.

Our intention is to offer desirable pavers, patio stones, retaining walls, step units, and related accessories that invoke our customers to gather with their friends and family and make memories in inspiring outdoor living spaces.

### Inspiring Results

We are passionate about making products that bring people together. Our team understands how these spaces are really used, from the welcoming familiarity of your patio as you celebrate special occasions with friends to the cozy, magnetic warmth of your outdoor fireplace that draws in your family on cool late summer evening.





Outdoor living spaces are particularly sentimental areas of the home. They are destinations for small moments that build lasting memories. Ultimately, that's what motivates our team. That's why we show up every day to ensure that each product is made with care and precision, so our customers can continue to gather, play, entertain, and relax in irresistible spaces.

We know that at the end of a long day, when you're enjoying your outdoor space, you may not remember the specific color or product

you selected, but we hope your experience working with County Materials and our landscape products is as impactful and meaningful as possible.

### Trusted Experience

With 75 years of experience, the County Materials team crafts long-lasting concrete landscape products that are used and loved by families across the country. Over the decades, we have remained consistent in our attention to detail, craftsmanship, and care.



The color photos shown in this catalog were prepared with careful attention to accuracy. However, colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete units are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry.





### Atmosphere of Tranquility

The pool deck exudes an atmosphere of tranquility as the soft glow of evening gently illuminates across the Grand Discover Pavers in the color Allure and Elements Paving Stones in the color Vision. With the gentle rustling of grasses in the background and the serene ripple of water, it becomes the perfect space for unwinding in the evening.



### **Poolside Seating**

Cleverly designed pool side bench for seating created between two storage houses. Tribute Smooth Retaining Wall and Elements Paving Stones in Vision create a soft sandy look.



### **PRODUCTS**

Grand Discover Pavers®, Elements™ Paving Stones (4x8), and Tribute® Smooth Retaining Wall System

### COLORS

Allure and Vision

### LOCATION

Minnesota

### **EXPLORE**

Project Profile countymaterials.com







12



### Meticulously Crafted

This driveway is adorned with an intricate compass design meticulously crafted into the pavers, offering a captivating focal point that welcomes visitors with its timeless elegance. As you approach the house, the compass design beautifully blends both form and function, guiding you gracefully toward the entrance while adding a touch of artistic charm to the property.



Grand Discover Pavers in Vision and Timeless



### **PRODUCTS**

Grand Discover Pavers® and Elements<sup>™</sup> Paving Stones (4x8)

### **COLORS**

Timeless and Vision

### LOCATION

Illinois








**EXPLORE** 

Project Profile countymaterials.com








# LEGACY DRIVE

### Personalized Durability

Grand Discover Pavers in Enlighten and Elements Paving Stones in the color Reflection were chosen for there aesthetic appeal and functionality, as their design and durable construction not only enhance the overall look but also ensure long-lasting durability for years to come.





### **PRODUCTS**

Grand Discover Pavers® and Elements™ Paving Stones (4x8)

### COLORS

Enlighten and Reflection

### LOCATION Illinois






# EXPLORE Project Profile countymaterials.com






Aspect Ratop Disclaimer: County Materials unit pavers "slab(s)" do not meet aspect ratio for vehicular application, as defined by CMHA standards. It is the responsibility and discretion of Buyer, Owner, Contractor, Architect, or Engineer to determine whether these unit pavers "slab(s)" are suitable for the specific project. County Materials recommends consulting with a qualified professional to assess the suitability for the project. County Materials Corporation accepts no responsibility or liability for the use of unit paver "slab(s)" in a vehicular application.







### **EXPLORE**

Project Profile countymaterials.com





### **Elegant Occasion**

Transform your outdoor space into a stunning patio and dining area, complete with an inviting lounge using Grand Discover Pavers in Allure and Elements Paving Stones in Reflection. The addition of a well-designed bar constructed with Tribute Smooth Retaining Wall units in Vision and Reflection with comfortable seating elevates the ambiance, creating the perfect setting for outdoor gatherings and relaxation. Soften the edge of any patio with the rounded edge of our Crest Bullnose Pavers, featured in Vision.

### **PRODUCTS**

Grand Discover Pavers®, Tribute® Smooth Wall Systems, Elements™ Paving Stones (4x8), and Crest Bullnose Pavers

### COLORS

Allure, Vision, and Reflection

### LOCATION


Illinois





Grand Discover Pavers in Allure, Crest Bullnose Pavers in Vision, Elements Paving Stones (4x8) in Reflection, Tribute Smooth in Vision and Reflection









### Dimensional Pattern

The Elements Paving Stones in Vision placed in a herringbone pattern, accentuated by a contrasting border in Reflection, creates a captivating and timeless design that elevates the entire space. Grand XL Discover in Vision blankets the outside of the paver border.

### **PRODUCTS**

Grand XL Discover Pavers<sup>®</sup>, Destination Pavers<sup>®</sup>, and Elements<sup>™</sup> Paving Stones (4x8)

### COLORS

Vision and Reflection

### LOCATION Wisconsin





**EXPLORE** Project Profile countymaterials.com








### Sunset and summer patios

The Sunset Patio project features a stylish herringbone-patterned stairway made of Elements Paving Stones in Enlighten with Prestige Coping Pavers in Quiet Beach for step treads. The patio centers around a captivating fire pit in Summit Stone Tumbled in Vision with a Reflection cap. In the rectangular area, Discover Pavers in Enlighten are used, and in the circular section, Grand Vantage in Enlighten creates an inviting atmosphere. A border of Elements Paving Stones in Vision and Beckon complements the design.

The Summer Patio provides a cool retreat from the summer heat in the side yard. It's designed with Grand Vantage in Enlighten and Elements Paving Stones in Vision and Beckon, creating a beautiful and serene space.



### **PRODUCTS**

Summit Stone® Fire Pit Kit with Cap, Prestige<sup>™</sup> Coping Pavers, Grand Vantage Pavers<sup>®</sup>, Discover Pavers<sup>®</sup>, and Elements<sup>™</sup> Paving Stones (4x8)

### COLORS

Enlighten, Quiet Beach, Beckon, and Vision

### LOCATION

Wisconsin





### **EXPLORE**

Project Profile countymaterials.com





# LAKE BREEZE Ignite connection and memories Grand Discover Pavers in Timeless



Discover Pavers in Timeless, Grand
Discover in Timeless, Elements Paving
Stones (8x16) in Vision & Reflection,
Elements Paving Stones (4x8) with Glow
Path Technology in Vision, Prestige Coping
Pavers in Sea Salt, Tribute Splitface in
Timeless, Destination Pavers in Exalt

### **PRODUCTS**

Summit Stone® Landscape Units,
Prestige™ Coping Pavers,
Destination Pavers® and
Elements™ Paving Stones with
Glow Path Technology, Discover
Pavers, Grand Discover Pavers,
Tribute Splitface

### COLORS

Timeless, Vision, Reflection, Exalt, and Sea Salt

### LOCATION

Minnesota



### Contentment and Charm

From the bar area through the dining area and to the seating area all feature Grand Discover Pavers in Timeless and bordered by Elements Paving Stones (8x16) in Vision and Reflection. The patio surrounding the fire feature is in Destination Pavers in Reflection, bordered by Discover in Timeless and Elements Paving Stones (4x8) with Glow Path Technology in Vision. These pavers were chosen for their aesthetic appeal and functionality. The pavers' design and durable construction enhances this backyard and ensures lasting durability.















### **PRODUCTS**

Grand XL Discover® Pavers, Summit Stone® Landscape Units, Crest<sup>TM</sup> Bullnose Pavers, Elements<sup>TM</sup> Paving Stones (4x8), Wetcast Caps, Summit Stone® Fire Pit Kit with Cap

### COLORS

Enlighten and Vision

### LOCATION





EXPLORE

Minnesota

Project Profile countymaterials.com





### A play on linear design

Grand XL Discover Pavers in Enlighten were chosen for the rectangular and circular patio areas, while Crest Bullnose Pavers were used for the entrance steps and the tread stepping down to the fire pit area. The fire pit was constructed using the Summit Stone Fire Pit Kit in Enlighten with cap in Vision. The walls and columns were built with Summit Stone Landscaping Units in Enlighten and Vision, featuring Wetcast and Summit Stone Caps in Vision. These products were carefully selected to ensure a timeless and cohesive design.











### Stunning Outdoor

This project exemplifies a flawless blend of dimensionally compatible product lines: Discover Pavers and Grand XL Discover Pavers, all elegantly matching in Vision. Their impeccable dimensional and aesthetic alignment weaves a seamless tapestry across the entire project.

### **PRODUCTS**

Discover Pavers®, Grand XL Discover Pavers®

### COLOR

Vision

### LOCATION


Michigan



### **EXPLORE**

Project Profile countymaterials.com











- 36 VANTAGE PAVERS®
- 38 VANTAGE PAVERS® 4x8
- 40 Grand VANTAGE PAVERS®
- 42 DISCOVER PAVERS®
- 46 Grand DISCOVER PAVERS®
- 52 Grand XL DISCOVER PAVERS®
- 56 Grand FUSION PAVERS™
- 60 Grand TRANQUILITY PAVERS®

- 62 ELEMENTS™ Paving Stones
- 64 Glow Path Technology
- 66 DESTINATION PAVERS®
- 68 INFLUENCE PAVERS®
- 70 ESSENCE® Wood Grain Plank Pavers
- 72 SKYLANDS™ Concrete Deck Paver
- 74 H<sub>2</sub>O PRO® Pavers
- 75 REJUVENATE™ Permeable Paver

Discover Pavers in Exalt,
Grand Fusion Pavers in Intention



Vantage

Elements

Paving

Stones

(4x8)

Discover

# What are **DIMENSIONALLY** COMPATIBLE

# PAVERS?

Our dimensionally compatible family of pavers are series of pavers manufactured in four-inch increments allowing them to integrate together effortlessly.

### Offering Limitless Design Potential

County Materials designed a series of dimensionally compatible pavers to help hardscape professionals and homeowners achieve their desired look and feel when using several colors, sizes, and textures in a single design. By manufacturing these pavers in four-inch increments, installation efficiencies and aesthetics are maximized

When browsing, look for this icon for Dimensionally Compatible products.



# GENESIS FACE-MIX, what is it?

County Materials invests in Genesis Face-Mix Technology™ to manufacture beautifully designed pavers and slabs that are backed by the strength and longevity of quality concrete. Our manufacturing process integrally bonds face-mix to the base of each unit, resulting in products that are a step up from contractor-grade quality, offering

### exceptional durability, lasting color performance, and captivating surface textures.

Our high-density pavers and slabs are manufactured to meet industry standards for strength and absorption. They stand up to the effects of time, weathering from Mother Nature, and frequent use in everyday life.

When browsing, look for this icon for Genesis Face-Mix Technology products.



Fine aggregates and dense concrete mix provide a smooth, refined surface.

Pure color pigments and fine aggregates are blended on the surface, providing vibrant, rich, and long-lasting color.

Proprietary face-mix integrally bonded to the base, offering exceptional durability and aesthetic design.

Base concrete mix features larger aggregates for highcompressive strength.

County Materials' pavers and slabs are backed by our customer warranty.



# **VANTAGE**

**VANTAGE PAVERS®** feature a striking surface texture that evokes subtle sophistication. These traditional-sized pavers are manufactured as three-piece modules and can be used alone or melded with compatible pavers to create one-of-a-kind installations.



### Colors

Colors shown may vary from actual hues.

### SOLID









### Sizes and Dimensions

EACH PALLET LAYER INCLUDES ALL SIZES.







The color photos shown in this catalog were prepared with careful attention to accuracy. However, colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete units are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry.





# VANTAGE 4X8

**VANTAGE PAVERS® 4x8 (NEW)** featuring the same surface texture as the Vantage Paver family, this border pieces can be used alone or melded with compatible pavers. This border compliments both smooth and textured paver fields and is a available in our most popular colors.



### Dimensions

SOLD ON INDIVIDUAL PALLETS.

4 × 8 IN **2**3/4 HEIGHT



### Colors

Colors shown may vary from actual hues.

### SOLID










### BLENDED






MAJESTIC

TIMELESS











# **Grand VANTAGE**

**Grand VANTAGE PAVERS®** feature a striking surface texture that evokes subtle sophistication. These larger paving stones are manufactured as three-piece modules and can be used alone or melded with compatible pavers to create oneof-a-kind installations.









### Colors

Colors shown may vary from actual hues.

### **BLENDED**





ALLURE

INTENTION





MAJESTIC

ENLIGHTEN








TIMELESS

EXALT




### Sizes and Dimensions

EACH PALLET LAYER INCLUDES ALL SIZES.

16 × 16 IN 16 × 24 IN  $2^{\,3/4}$  HEIGHT  $2^{3/4}$  HEIGHT  $2^{3/4}$  HEIGHT





Aspect Ratop Disclaimer: County Materials unit pavers "slab(s)" do not meet aspect ratio for vehicular application, as defined by CMHA standards. It is the responsibility and discretion of Buyer, Owner, Contractor, Architect, or Engineer to determine whether these unit pavers "slab(s)" are suitable for the specific project. County Materials recommends consulting with a qualified professional to assess the suitability for the project. County Materials Corporation accepts no responsibility or liability for the use of unit paver "slab(s)" in a vehicular application.

# **DISCOVER**

with compatible pavers to create one-of-a-kind installations.

Colors shown may vary from actual hues.



REFLECTION

### **BLENDED**



INTENTION









TIMELESS

SERENITY









DISCOVER more about this product

EACH PALLET LAYER INCLUDES ALL SIZES.












**DISCOVER PAVERS®** offer a smooth, sought-after surface texture in traditional sizes. Manufactured as threepiece module, these pavers can be used alone or melded



### SOLID
















# **DISCOVER**


Relax poolside by day and evening fireside delights

### Tranquil Majesty

From the raised patio, tiered stairs lead to the pool deck lounge and circular fire pit area, all featuring Discover Pavers in Majestic framed by Elements Paving Stones in Vision and Majestic. The fire pit, built with Summit Stone Tumbled in Reflection and Majestic, softly glows in the evening, creating a seamless, tranquil space.







### **PRODUCTS**

Discover Pavers®, Elements™ Paving Stones (4x8), and Oversize Step Units

### COLORS

Majestic, Vision, and Reflection



### LOCATION



Wisconsin

### **EXPLORE**

Project Profile countymaterials.com



# **Grand DISCOVER**

Grand DISCOVER PAVERS® offer a smooth, sought-after surface texture in larger paving stone sizes. Manufactured as a three-piece module, these pavers can be used alone or melded with compatible pavers to create oneof-a-kind installations.







### Colors Colors shown may vary from actual hues.

### SOLID



VISION

### **BLENDED**



ALLURE

INTENTION



ENLIGHTEN





EXALT






### Sizes and Dimensions

EACH PALLET LAYER INCLUDES ALL SIZES.

16 × 16 IN 16 × 24 IN  $2^{\,3/4}$  HEIGHT  $2^{3/4}$  HEIGHT  $2^{3/4}$  HEIGHT









# Grand **DISCOVER**

# Elevated Elegance: A three-tiered patio

Using Grand Discover Pavers in color Allure, this three-tiered patio seating area, offers a captivating blend of functionality and aesthetics, providing the perfect backdrop for outdoor relaxation and entertainment.

### **PRODUCTS**

Grand Discover Pavers®

### COLORS

Allure

### LOCATION

Minnesota









**EXPLORE** Project Profile countymaterials.com









### Garden's Edge: Gathering Spaces

A well-designed pool deck serves as the vital nexus that seamlessly connects a series of outdoor spaces, creating a harmonious and inviting environment. Grand Discover Pavers in Majestic with Elements Paving Stone in Reflection as a border, create intimate gathering spots for friends and family.

### **EXPLORE**

Project Profile countymaterials.com





### **PRODUCTS**

Grand Discover Pavers® and Elements<sup>™</sup> Paving Stones (4x8)

### COLORS

Majestic and Reflection

### LOCATION

Minnesota









# **Grand XL DISCOVER**

Grand XL DISCOVER PAVERS® offer a smooth, sought-after surface texture in extra-large, long units. These pavers can be used alone or melded with compatible pavers to create one-of-a-kind installations.



### Colors

Colors shown may vary from actual hues

### SOLID



VISION

### BLENDED



ALLURE



MAJESTIC

ENLIGHTEN


TIMELESS

### Dimensions

SOLD ON INDIVIDUAL PALLETS.

16 × 32 IN **2** 3/4 HEIGHT







Grand XL Discover Pavers in Vision





# Grand XL DISCOVER Pavers designed to connect spaces



### Luxury Retreat

In this orchestrated symphony of outdoor spaces, the pool deck plays a pivotal role, uniting each element into a cohesive and inviting outdoor retreat. Additionally, the Grand XL Discover Pavers and Elements Paving Stones with a shotblast finish provides a slip resistant pool deck.

### **PRODUCTS**

Grand XL Discover Pavers® and Elements™ Paving Stones (4x8)

### COLORS

Vision, Shotblast Finish

### LOCATION


Michigan



### **EXPLORE**

Project Profile countymaterials.com









Grand XL Discover Pavers in Vision, Elements Paving Stones (4x8) in Vision, Custom Order Shotblast Finish

**Grand FUSION PAVERS<sup>TM</sup>** bring a new level of interest and refinement to concrete pavers by combining two distinct textures into one module. Inspired by textures found in the home, Grand Fusion Pavers fuse the aesthetic of a structured surface, with alternating fields that replicate pebbled leather and striated textiles, and the enhanced performance of exterior concrete. Grand Fusion Pavers are larger in size and feature contemporary textures that provide a slip-resistant surface.





Colors shown may vary from actual hues.

### SOLID



VISION








### Sizes and Dimensions

EACH PALLET LAYER INCLUDES ALL SIZES.

16 × 16 IN 16 × 24 IN 8 × 16 IN  $2^{3/4}$  HEIGHT 2 3/4 HEIGHT 2 3/4 HEIGHT





Grand Fusion Pavers in Exalt Elements Paving Stones (4x8) in Vision and Beckon

Grand Fusion Pavers in Exalt, Elements Pavi Stones (4x8) in Vision and (8x16) in Reflect

The color photos shown in this catalog were prepared with careful attention to accuracy. However, colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete units are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry.



# Grand FUSION

### Outdoor Elegance: Slip resistance design

Crafted with Grand Fusion Pavers in Vision, this pool deck, patio, and walkway redefine outdoor living with their distinctive and inviting textures. Grand Fusion Pavers' alluring charm of striated textile pavers, creating an ambiance that's both stylish and tactile. What sets these pavers apart is their remarkable slipresistant quality, making them the perfect choice for a poolside environment.

### **PRODUCTS**

Grand Fusion Pavers<sup>TM</sup>, Elements<sup>TM</sup> Paving Stones (4x8)

### COLORS

Vision and Reflection

### LOCATION

Wisconsin





# EXPLORE Project Profile countymaterials.com







# Grand TRANQUILITY

**Grand TRANQUILITY PAVERS®** are created with clean lines for a refined expression of style. Each paver is manufactured to withstand abrasion and high-traffic use and ensure steady footing with their non-slip surface.



### Colors

Colors shown may vary from actual hues.

### BLENDED





MAJESTIC

ALLURE





ENLIGHTEN TIMELESS


SERENITY




### Sizes and Dimensions

EACH PALLET LAYER INCLUDES ALL SIZES.

8 × 16 IN 16 × 16 IN 16 × 24 IN 2 3/4 HEIGHT 2 3/4 HEIGHT







# **ELEMENTS**

**ELEMENTS<sup>TM</sup> Paving Stones** offer a clean aesthetic with their smooth surface and slightly chamfered edges. Stones can be used alone or melded with compatible pavers to create one-of-a-kind installations.



### Colors

Colors shown may vary from actual hues.

### SOLID





BECKON

MAJESTIC





**BLENDED** 







ENLIGHTEN TIMELESS



SERENITY (4X8 ONLY)



### Sizes and Dimensions

EACH SIZE IS SOLD ON INDIVIDUAL PALLETS.


8 × 16 IN


4 x 8 in 2 3/4 HEIGHT  $2^{3/4}$  HEIGHT



The color photos shown in this catalog were prepared with careful attention to accuracy. However, colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete units are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry.







ELEMENTS PAVING STONES

# more about this product

# **GLOW PATH**

**Glow Path Technology<sup>TM</sup>** enhances the safety and aesthetics of residential, commercial, and municipal paver applications by providing subtle illumination that lasts up to 8 hours. From creating striking pool deck accents to improving usage of frequently used pathways, the possibilities of luminescent technology are limitless.







### Sizes and Dimensions

EACH SIZE IS SOLD ON INDIVIDUAL PALLETS.







SOLID







4 x 8 IN  $2^{3/4}$  HEIGHT

2 <sup>3/8</sup> HEIGHT

 $24 \times 24$  IN

2 3/4 HEIGHT



Colors (24x24)

Colors shown may vary from actual hues.

**BLENDED** 





TIMELESS

Elements Paving Stones (4x8) with Glow Path Technology in Vision and Reflection

MAJESTIC

The color photos shown in this catalog were prepared with careful attention to accuracy. However, colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete units are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry.






### Passageways Step

### Dimensions

EACH SIZE IS SOLD ON INDIVIDUAL PALLETS.

20 × 48 IN 6 HEIGHT



### Colors (Step)

Colors shown may vary from actual hues.


SOLID





REFLECTION

VISION



# **DESTINATION**

**DESTINATION PAVERS®** are offered in nine sizes that fit together seamlessly and afford unlimited design freedom. This versatility allows for simple or dramatic combinations that blend well with other paver accents to become the quintessential focal point of any property.










### Sizes and Dimensions

EACH PALLET LAYER INCLUDES ALL SIZES.

Depth and Length vary. 2 <sup>3/4</sup> HEIGHT







Colors shown may vary from actual hues.

### **BLENDED**





INTENTION





SERENITY










EXALT







# **INFLUENCE**

**INFLUENCE PAVERS®** feature crisp edges and a clean linear feel. Their five plank-style shapes minimize joint lines and lend themselves to invent interesting patterns using different color and texture combinations.



more about this product





### Colors

Colors shown may vary from actual hues.

### SOLID





REFLECTION


VISION

**BLENDED** 


MAJESTIC

EACH PALLET LAYER INCLUDES ALL SIZES.





ofluence Pavers in Exalt









Aspect Ratop Disclaimer: County Materials unit pavers "slab(s)" do not meet aspect ratio for vehicular application, as defined by CMHA standards. It is the responsibility and discretion of Buyer, Owner, Contractor, Architect, or Engineer to determine whether these unit pavers "slab(s)" are suitable for the specific project. County Materials recommends consulting with a qualified professional to assess the suitability for the project. County Materials Corporation accepts no responsibility or liability for the use of unit pover "slab(s\" in a vehicular application.

# **ESSENCE**

ESSENCE® Wood Grain Plank Pavers is a special order product, produced in five different plank lengths to facilitate a linear laying pattern to compose a handcrafted effect. Every paver is manufactured with the unmatched durability of concrete with authentic looking grain and textures found in weathered wood.





### Colors

Colors shown may vary from actual hues.

### **BLENDED**








TIMELESS

PRIDE










### Sizes and Dimensions


EACH PALLET LAYER INCLUDES ALL SIZES.

 $5^{3/4} \times 9^{11/16} \text{ in}$   $5^{3/4} \times 11^{5/8} \text{ in}$   $5^{3/4} \times 13^{5/8} \text{ in}$   $5^{3/4} \times 17^{1/2} \text{ in}$   $5^{3/4} \times 19^{1/2} \text{ in}$  $3^{1/8}$  HEIGHT  $3^{1/8}$  HEIGHT  $3^{1/8}$  HEIGHT  $3^{1/8}$  HEIGHT  $3^{1/8}$  HEIGHT











## **SKYLANDS**

**SKYLANDS<sup>TM</sup> Concrete Deck Pavers** are used to generate inviting outdoor living spaces in areas otherwise unusable. Using pedestals, deck pavers turn pitched or uneven surfaces into useful living areas.



## Colors

Colors shown may vary from actual hues.

#### SOLID



VISION

**BLENDED** 






DREAM

REFLECTION



TIMELESS


MAJESTIC




## Dimensions


SOLD ON INDIVIDUAL PALLETS.

23 13/16 x 23 13/16 IN 2 HEIGHT





Skylands Concrete Deck Pavers in Vision



more about this product



# H<sub>2</sub>O PRO

H<sub>2</sub>O PRO® Pavers (Permeable Paving Units) are an effective storm water management solution on site. Their 31/8" (80 mm) thickness withstands heavy low speed vehicular loads, making them a suitable option for driveways, walkways, and parking lots.



Color (4x8) Colors shown may vary from actual hues.

SOLID



REFLECTION

Dimensions SOLD ON INDIVIDUAL PALLETS.

4 x 8 IN 3 1/8 HEIGHT







**BLENDED** 

TIMELESS

### Colors (All Sizes) Colors shown may vary from actual hues.





MAJESTIC


## Sizes and Dimensions

SOLD ON INDIVIDUAL PALLETS.

4 × 8 IN







## Permeable Interlocking Concrete Pavers

Permeable pavers are increasingly gaining the attention of media, builders, and property owners alike because of growing efforts to effectively manage storm water in municipalities and watershed districts across the country.



CONCRETE MASONRY & **HARDSCAPES ASSOCIATION** 

Refer to the Interlocking Concrete Pavement Institute's Guide Specification for additional information on Permeable Interlocking Concrete Pavers.

#### The color photos shown in this catalog were prepared with careful attention to accuracy. However, colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete units are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry.

# **REJUVENATE®**

#### REJUVENATE™ Permeable

Pavers combine functionality and design. The pavers' uniform shape optimizes installation speed and can be used for herringbone patterns.



### Colors

Colors shown may vary from actual hues.

#### **BLENDED**




TIMELESS



#### **Dimensions** SOLD ON INDIVIDUAL PALLETS.

5 × 10 in 3 1/8 HEIGHT





## H<sub>2</sub>O Pro<sup>®</sup> Pavers and Rejuvenate<sup>™</sup> Permeable Pavers

Permeable concrete pavers are designed to direct storm water through paver joints, directly into the ground. These paver systems can help improve water quality by capturing contaminants and suspended solids typically found in storm water and filtering them through layers of aggregates. Permeable pavers help maximize land use, as they can replace traditional retention and detention ponds.





# TRIBUTE WALL SYSTEMS


**Tribute® Wall Systems** are versatile and showcase robust blocks with multiple pin grooves on their top surfaces, offering an array of possibilities for both retaining and freestanding walls. These units possess a unique flexibility, as they can be split on-site, enabling the construction of elegant pillars and captivating wall accents. With matching caps and corner pieces, these systems are ideal for crafting functional seating walls in gathering spaces, sturdy retaining walls and add a touch of refinement to walkway columns and various other creative landscape elements.








Tribute Smooth Retaining Wall in Timeless, Smooth Rectangle Caps in Reflection, Grand Discover Pavers in Timeless, Elements Paving Stones (4x8) in Reflection and Vision, Passageway Step Units in Reflection







The color photos shown in this catalog were prepared with careful attention to accuracy. However, colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete units are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry.

## **TRIBUTE SMOOTH**

Tribute® Smooth Wall Systems offer a clean aesthetic. Featuring solid blocks multiple pin grooves on the top surface, these units allow a combination of retaining and freestanding wall options. Tribute Smooth units can be efficiently split in half in the field to construct pillars and wall accents.

## Colors

Colors shown may vary from actual hues

#### SOLID





REFLECTION

VISION

**BLENDED** 









**ENLIGHTEN** 











## Sizes and Dimensions

Full Unit (Front & back finish)  $10^{1/8} \times 16$  IN 6 HEIGHT



Corner / Column Unit (4 sides finish) 10 <sup>1/8</sup> × 15 <sup>5/8</sup> IN 6 HEIGHT



on page 100

## TRIBUTE SPLITFACE

**Tribute® Splitface Wall Systems** features solid blocks with multiple pin grooves on the top surface that allow a combination of retaining and freestanding wall options.



## Colors

Colors shown may vary from actual hues.

#### SOLID



VISION



GRAY\*



BUFF



OCTOBER OAK





SILVERTONE\*



SWISS MOCHA\*



**GRAPHITE\*** 


CANYON BROWN\*




\* Pricing may vary regionally.

TIMELESS











## Sizes and Dimensions



(Front and corner finish)

8 × 12 IN 6 HEIGHT





Compatible Caps

on page 100

SYSTEMS

## UNITY

**Unity<sup>TM</sup> Landscape Units** offer a smooth linear aesthetic and are ideal for constructing custom outdoor living features, including fireplaces, kitchens, built-in grills, seat walls, pillars, and more.

## Colors

Colors shown may vary from actual hues.

#### SOLID





VISION

REFLECTION

#### **BLENDED**





ALLURE


MAJESTIC





**ENLIGHTEN** 


TIMELESS





## Dimensions

Rectangular
(All sides finish)
9 × 18 IN
4 HEIGHT



Compatible Caps on page 100





# DISCOVER more about this product

## **SUMMIT** STONE

Summit Stone® Landscape Units' dimensional shape and multiple unit sizes make them ideal for constructing custom outdoor living features, including fireplaces, kitchens, built-in grills, seat walls, pillars, and more.

### Colors

Colors shown may vary from actual hues.

#### SMOOTH - SOLID







REFLECTION

MAJESTIC

#### SMOOTH - BLENDED



TUMBLED - SOLID

VISION

ENLIGHTEN



TIMELESS










TUMBLED - BLENDED


MAJESTIC

AVAILABLE TIMELESS

TUMBLED ALSO, IN BECKON &







Compatible Caps on page 100



## Sizes and Dimensions




















The color photos shown in this catalog were prepared with careful attention to accuracy. However, colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete units are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry.

## WINSTON STRAIGHT

Winston® Straight Retaining Wall Systems are manufactured with a rear lip, forming a setback design for simplified installations.

GRAPHITE

## Colors

Colors shown may vary from actual hues.

#### SOLID



**DISCOVER** more about this product





#### BLENDED








CANYON BROWN\*

## Sizes and Dimensions

Full Unit (Front finish) 12 × 17 <sup>1/2</sup> IN


(Front and corner finish) 8 3/4 x 12IN

Compatible Caps on page 100













## WINSTON TRI-SPLIT

**Winston® Tri-Split Retaining Wall Systems** offer traditional aesthetic and feature a rear lip system, forming a setback design for simplified installations.

## Colors

Colors shown may vary from actual hues.

#### SOLID



GRAY\*

#### BLENDED



SILVERTONE



CANYON BROWN\*








## Sizes and Dimensions






Compatible Caps on page 100







## INTEGRITY

Integrity® Retaining Wall System is a practical solution for even challenging applications, including multi-level terraces and slope protection. The Integrity wall system is manufactured to ensure efficient installation, increased stability, and lasting

## Colors

Colors shown may vary from actual hues.

### SOLID











SILVERTONE\*



GRAPHITE



CANYON BROWN












TIMELESS




















Compatible Caps

on page 100







## COUNTY **BLOCK**

County Block® Retaining Wall Systems feature a split face finish and offer an ideal solution for planting beds, steps, or multi-level terraces.

### Colors

Colors shown may vary from actual hues.

#### SOLID



GRAY

#### BLENDED



SILVERTONE



SWISS MOCHA



TIMELESS

#### CANYON BROWN







## Sizes and Dimensions

Full Unit 12 × 12 1/2 IN

(Front and corner finish) 6 <sup>1/4</sup> x 12 IN **7** <sup>5/8</sup> HEIGHT

Compatible Caps on page 100



County Block Retaining Wall System in Swiss Mocha, Splitface Rectangle Caps in Swiss Mocha





## RIB ROCK

**Rib Rock<sup>TM</sup> Landscape Block** can easily construct walls from 6 to 20 feet-high with additional site-specific engineering. Each block is manufactured with an interlocking design for simplified installation and enhanced security.

#### STANDARD FINISHES




Dry Stack Texture



Rouah Texture







## Sizes and Dimensions

Rough Texture (Front finish) 23 × 48 IN 24 HEIGHT Dry Stack Texture
(Front finish)
23 × 48 IN
24 HEIGHT

Rib Rock Cap
(Front and top finish)
25 × 48 IN
7 HEIGHT

Top Block (Front finish) 23 × 48 IN 24 HEIGHT









The color photos shown in this catalog were prepared with careful attention to accuracy. However, colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete units are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry.

## **MAGNUM** STONE

#### MagnumStone® Retaining Wall Systems (NEW)

MagnumStone Gravity Retaining Wall Extenders replace Geogrid reinforcements by using a tongue-and-groove concrete system to meet or exceed the demands of engineers. This system reduces the massive footprint of traditional cantilevered gravity retaining walls and gives developers and owners greater use of land above the wall.





## Sizes and Dimensions

Standard (Front finish) 24 × 48 IN 24 HEIGHT





Standard Base (Front finish) 24 × 48 IN 24 HEIGHT







(Front finish) 24 × 48 IN 24 HEIGHT





Standard Top



Half High

(Front finish)

23 × 48 IN

Half Corner / End (Side and Front finish) 9 × 3-4 IN 12 HEIGHT





Half High Base





Half High Top

(Front finish)

23 × 48 IN



The color photos shown in this catalog were prepared with careful attention to accuracy. However, colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete units are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry.









MAGNUMSTONE

RETAINING



## WALL & PILLAR CAPS

#### Splitface Rectangle Cap Double sided

Colors: Vision. Timeless, Gray, Silvertone, Graphite, Buff, October Oak, Swiss Mocha, and Canyon Brown

Compatibility: Tribute Wall Systems, Winston, Integrity, County Block, Unity, and Summit Stone

Applications: Single & Double Walls, and Steps & Treads

#### Splitface Trapezoidal Cap Double sided

Colors: Vision. Timeless, Gray, Silvertone, Graphite, Buff, October Oak, Swiss Mocha, Canyon Brown, and Hush

Compatibility: Tribute Wall Systems, Winston, Integrity, County Block, Unity, and Summit Stone

Applications: Single & Double Walls, and Steps & Treads

#### Smooth Rectangle Cap Double sided

Colors: Allure, Vision, Majestic, Timeless, Reflection, and Enlighten

Compatibility: Tribute Wall Systems, Winston, Integrity, County Block, Unity, Summit Stone

Applications: Single & Double Walls, and Steps & Treads

 $2^{3/4}$  HEIGHT

having different shapes. This color or shading variation is acceptable in the industry.

Demi PRESTIGE Coping Pavers

Applications: Single & Double Walls, Steps &

Colors: Sea Salt, Quiet Beach & Galaxy

Compatibility: Tribute Wall Systems,

and Summit Stone

Treads, and pool coping

Winston, Integrity, County Block, Unity,



13 <sup>5/8</sup> x 18 IN 3 HEIGHT

Wetcast Rectangle Cap Smooth top, textured front and back finish

Colors: Vision & Reflection

Compatibility: Tribute Wall Systems, Winston, Integrity, County Block, Unity, Summit Stone

Applications: Single & Double Walls, and





13 <sup>5/8</sup> x 18-14 <sup>1/4</sup> IN 3 HEIGHT

> Wetcast 30"x30" Column Cap Smooth top, textured four sides

Colors: Vision & Reflection

Compatibility: Tribute Wall Systems, Unity

Applications: Single & Double Walls, Steps &

Treads, and Pillars



Wetcast 24"x24" Column Caps Smooth top, textured four sides

Colors: Vision & Reflection

Comparability: Tribute Wall Systems, Summit Stone

Treads, and Pillars

13 <sup>7/8</sup>x 29 <sup>3/4</sup> IN **2** 3/4 HEIGHT

 $30 \times 30 \text{ in}$ 2 3/4 HEIGHT



24 x 24 IN 2 <sup>3/4</sup> HEIGHT

Applications: Single & Double Walls, Steps &

#### PRESTIGE Coping Pavers

Colors: Sea Salt, Quiet Beach & Galaxy

Compatibility: Tribute Wall Systems, Winston, Integrity, County Block, Unity, and Summit Stone

Applications: Single & Double Walls, Steps & Treads, and pool coping



 $14 \times 24$  $2^{3/4}$  HEIGHT

#### Grand CREST Bullnose Pavers

Colors: Vision, Reflection. Majestic & Timeless


Comparability: Tribute Wall Systems Winston, Integrity, County Block, Unity, Summit Stone

8 x 14  $2^{3/4}$  HEIGHT

Applications: Single & Double Walls, Steps & Treads, and pool coping

The color photos shown in this catalog were prepared with careful attention to accuracy. However, colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete units are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units











## **PRESTIGE**

PRESTIGE<sup>TM</sup> Coping Pavers, with its longer, bullnose shape, is uniquely suited for pool coping applications to finish pool edges with refined style. Units are also suitable for steps, freestanding wall caps, and more.

### Colors

Colors shown may vary from actual hues.

#### SOLID






QUIET BEACH

SEA SALT



GALAXY

## Dimensions











Prestige Coping Pavers in Sea Salt, Elements Paving Stones (4x8) with Glow Path Technology in Vision, Discover Pavers in Timeless, Tribute Splitface in Timeless, Elements Paving Stones (8x16) in Vision & Reflection, Grand Discover in Timeless, Wetcast Caps in Vision, Destination Pavers in Exalt, Summit Stone Landscape Units in Timeless







cape Units in Timeless

## Demi PRESTIGE

**Demi PRESTIGE™ Coping Pavers (NEW)**, with its longer, bullnose shape, is uniquely suited for pool coping applications to finish pool edges with refined style. Units are also suitable for steps, freestanding wall caps, and more.

## Dimensions



## Colors

Colors shown may vary from actual hues.

#### SOLID








QUIET BEACH




GALAXY











# **Grand CREST**

Grand CREST™ Bullnose Pavers (NEW) are the ideal finishing touch for steps, pillars, walls, and pool copings

## Colors

#### SOLID





VISION

REFLECTION

#### **BLENDED**





TIMELESS

MAJESTIC

## **Dimensions**


























Grand Crest Bullnose Pavers in Vision, Grand XL Discover Pavers in Enlighten, Elements Paving Stones (4x8) in Vision





## **PASSAGEWAYS**

Passageways® Step Units feature a natural textured face, clean lines, and a large modular shape, Passageways Step Units enhance installation and offer endless applications. Add steps to raised patios, front entrances, terraced walks, and steep slopes.



### Colors

Colors shown may vary from actual hues.

#### SOLID



VISION





REFLECTION



TIMELESS

#### GLOW PATH TECHNOLOGY™





Glow Path Technology™ is owned by Glow Path Pavers

more about this product

pages 64-65






REFLECTION




## Dimensions















The color photos shown in this catalog were prepared with careful attention to accuracy. However, colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete units are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry.

PASSAGEWAYS

# LANDSCAPE STEP UNITS

**Landscape Step Units'** smooth stepping surface provides solid and safe footing. Their size speeds up step installation time and reduces the amount of retaining wall block needed.

## Colors

Colors shown may vary from actual hues.

#### SOLID







GRAY



OCTOBER OAK





SILVERTONE



GRAPHITE











Dimensions

14 × 24 IN 6 HEIGHT







# **OVERSIZE** LANDSCAPE STEP UNITS

Oversize Landscape Step Units are manufactured with a natural textured surface. Their larger size covers more square footage than alternative step options, reducing installation and labor costs.

### Colors

Colors shown may vary from actual hues.

#### SOLID






GRAY

## Dimensions

25 × 48 IN 6 1/4 HEIGHT











## Tribute® Smooth - Square Fire

**Pit Kit** Tribute Smooth units make refined fire features. Kits include a 36" x 36" x 11" square steel fire ring. Add to your backyard or next design and you will be ready to relax around your backyard fire with family and friends.

### Square Fire Pit Kit Includes:

- 36" x 36" x 11" Steel Fire Ring
- 24 Smooth Tribute Corners

### Colors

Available in Tribute Smooth colors and textures – Allure, Vision, Reflection, Majestic, Timeless, Enlighten See page 80 for options



Tribute Smooth Square Fire Pit in Enlighten

having different shapes. This color or shading variation is acceptable in the industry.

### Dimensions

Full Unite 10 <sup>1/8</sup> × 15 <sup>5/8</sup> IN 6 HEIGHT



**DISCOVER** more about this product



selection. Because concrete units are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units

## UNITY

#### Unity<sup>™</sup> Landscaping Units - Square Fire

**Pit Kit** Achieve sophistication with our Unity Square Fire Pit Kits. Kits include a 36" x 36" x 11" square steel fire ring. Add to your backyard or next design and you will be ready to relax around your backyard fire with family and friends.

#### Square Fire Pit Kit Includes:


- 36" x 36" x 11" Steel Fire Ring
- 30 Unity Block

### Colors

Available in Unity colors and textures – Allure, Vision, Reflection, Majestic, Timeless, Enlighten. See page 84 for options

### Dimensions

Rectangular
9 x 18 IN
4 HEIGHT
(All sides finish)





Unity Landscape Units Square Fire Pit in Timeless



## SUMMIT STONE

#### Summit Stone® Landscaping Units

- Square Fire Pit Kit make great fire features. Kits include a 51" x 51" x 11" square steel ring. Top off with a specially designed fire ring cap, and you will be ready to relax around your backyard fire with family and friends.

#### 36" Square Fire Pit Includes:

- 36" x 36" x 11" Metal Fire Ring (no paint)
- 24 Summit Stone Medium Units
- 18 Summit Stone Large Units


### Colors

Available in ALL Summit Stone Landscape Units colors and textures – See page 86 for options



## Sizes and Dimensions

Medium 7 <sup>1/4</sup> × 10 <sup>7/8</sup> IN 3 <sup>5/8</sup> HEIGHT



 $7^{1/4} \times 14^{1/2}$ IN

3 5/8 HEIGHT



Summit Stone Smooth Landscape Units Square Fire Pit in Timeless



Summit Stone Tumbled Landscape Units Square Fire Pit in Timeless







SMOOTH

TRIBUTE

 $\propto$ 

STONE,

SUMMIT

KITS

FIRE

SQUARE

## **SUMMIT** STONE

### **Summit Stone® Landscaping Units**

- Circle Fire Pit Kit make great fire features. Kits include a 39" diameter steel ring. Top off with a specially designed fire ring cap, and you will be ready to relax around your backyard fire with family and friends.

#### 39" Circle Fire Pit Kit Includes:

- 39" x 11" Metal Fire Ring (Rolled Steel no paint)
- 51 Summit Stone (Tapered) Landscape Units
- Available in Smooth or Tumbled texture

### Fire Ring Cap Includes:

- 4 section Fire Ring Cap
- Available in either Vision or Reflection

### Colors

Available in ALL Summit Stone Landscape Units colors and textures - See page 86 for options

## **Dimensions**

 $7^{1/4} \times 9^{7/8}$  IN 3 5/8 HEIGHT





## DISCOVER more about this product

### PRODUCTS | FIRE PIT CAP

## CAP

#### Summit Stone Landscaping Units - Circle Fire Pit Cap

Our popular Summit Stone Landscape Units make great Fire Ring Cap. We now offer a "kit" that includes a steel interior ring to build one with a 39" Diameter.

Top it off with a specially designed Fire Ring Cap, and you will be ready to relax around your backyard fire with family and friends.

#### Fire Ring Cap Includes:

- 4 section Fire Ring Cap
- Available in either Vision or Reflection color

### Colors

Colors shown may vary from actual hues.

#### SOLID




VISION

REFLECTION

### Dimensions FIRE RING CAP SIZE

4 pieces assembled (Inches)



Inside - 39 IN Outside - 57 IN  $2^{3/4}$  HEIGHT



Summit Stone Tumbled Fire Pit Kit in Timeless, Fire Pit Cap in Reflection



Summit Stone Smooth Fire Pit Kit in Timeless, Fire Pit Cap in Vision

# ALLIANCE **OUTDOOR** LIGHTING




Bring your landscape investment to life (after hours) – with highquality, option-packed Alliance Outdoor Lighting products:

- Low Voltage Light Paths
- Ground Lights
- Bullet Lights
- Post Lights
- Wall Lights
- Sconces
- RGB Color Changing and Dimming options with Bluetooth (BT) Technology
- And Much More...

Please contact one of our locations or your local representative to plan your lighting project.

DISCOVER more about this product
















## Warranty Information for Concrete Hardscape Products

County Materials works continuously to provide value to our customers and enhance our manufacturing capabilities, all while surpassing our high standards of excellence. We manufacture our hardscape products to meet the industry's standards. That is why we back our hardscape products with an exclusive limited Warranty.

### **PAVER** Products Warranty

COUNTY MATERIALS CORPORATION'S CONCRETE PAVERS MEET THE REQUIREMENTS OF APPLICABLE ASTM STANDARD(S). COUNTY MATERIALS WARRANTIES ITS CONCRETE PAVERS AGAINST MANUFACTURING DEFECTS FOR THE PERIOD OF YOUR RESIDENTIAL HOME OWNERSHIP. FOR COMMERCIAL PROJECTS, COUNTY MATERIALS WARRANTIES ITS CONCRETE PAVERS AGAINST MANUFACTURING DEFECTS FOR 5 YEARS AFTER SUBSTANTIAL COMPLETION OF THE PROJECT. THIS WARRANTY IS NON-TRANSFERABLE. THIS LIMITED WARRANTY DOES NOT APPLY TO DAMAGE CAUSED BY IMPROPER STORAGE, ABRASION, OVERLOADING, OR MISUSE, SUCH AS DELAMINATION, SPLITTING, CHIPPING, OR STAINING. THIS LIMITED WARRANTY APPLIES ONLY IF THE PRODUCTS ARE INSTALLED AS DIRECTED BY THE ICPI (WWW.ICPI.ORG) AND COUNTY MATERIALS' APPLICABLE INSTALLATION GUIDELINES. IMPROPER INSTALLATION VOIDS THIS LIMITED WARRANTY. THE ORIGINAL PROOF OF PURCHASE IS NECESSARY. COLOR MATCHING CANNOT BE GUARANTEED. THE FOREGOING LIMITED WARRANTY IS IN LIEU OF AND EXCLUDES ALL OTHER WRITTEN OR ORAL WARRANTIES, INCLUDING THE IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND MERCHANTABILITY. CUSTOMER'S EXCLUSIVE REMEDY FOR BREACH OF THE ABOVE LIMITED WARRANTY IS LIMITED TO COUNTY MATERIALS REPLACING THE PRODUCTS AT NO COST TO THE ORIGINAL CUSTOMER. COUNTY MATERIALS' LIABILITY FOR BREACH OF THE ABOVE LIMITED WARRANTY SHALL NOT EXCEED THE PRICE OF THE PRODUCTS ACTUALLY RECEIVED BY CUSTOMER AND DOES NOT INCLUDE REPLACEMENT LABOR, CONSEQUENTIAL DAMAGES. OR INCIDENTAL DAMAGES.

Aspect Ratop Disclaimer: County Materials unit pavers "slab(s)" do not meet aspect ratio for vehicular application, as defined by CMHA standards. It is the responsibility and discretion of Buyer, Owner, Contractor, Architect, or Engineer to determine whether these unit pavers "slab(s)" are suitable for the specific project. County Materials recommends consulting with a qualified professional to assess the suitability for the project. County Materials Corporation accepts no responsibility or liability for the use of unit paver "slab(s)" in a vehicular application.

### **RETAINING WALL Products Warranty**

EXCLUSIVE LIMITED WARRANTY: Seller warrants that stock Products, to the extent they are manufactured by Seller, shall be free from manufacturing defects in materials and workmanship and meet the description and specifications established in Seller's published and internal standards (subject to reasonable variance in accordance with normal industry practice) for a period of thirty (30) days from delivery, and all other warranties are expressly disclaimed as described in the capitalized sentence below. Seller may, in its sole discretion. also rely on any generally accepted industry standards. Seller retains the right, however, to change the dimensions, composition, design, performance, color, and appearance of the Products without liability if, in Seller's judgment, the change is non-material. Seller warrants that non-stock Products manufactured by Seller meet only those specifications and standards provided by Buyer for a period of thirty (30) days from delivery, all other warranties are expressly disclaimed as described in the capitalized sentence below, and Buyer understands that that harmful cracking or other damage may occur if the Product specifications are not properly designed. Seller does not warranty any portion of Products not manufactured by Seller but Seller shall assign to Buyer, upon request, all assignable warranties of Seller's suppliers related to such Products. Acceptance by Buyer of the Products constitutes confirmation that Products meet the description set forth above. THE FOREGOING WARRANTY IS IN LIEU OF AND EXCLUDES ALL OTHER WRITTEN OR ORAL WARRANTIES. INCLUDING THE IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND MERCHANTABILITY WHETHER EXPRESS OR IMPLIED BY LAW. INCLUDING THE UNIFORM COMMERCIAL CODE AS ENACTED IN THE STATE OF WISCONSIN OR ELSEWHERE. This limited warranty only applies if the Products have not been subjected to misuse, negligence, or accident and have not been unloaded, stored, installed, maintained, altered, or repaired in any manner that, in the Seller's judgment, adversely affects the condition or operation of the Products. Further, the foregoing limited warranty and the exclusive remedy below run only in favor of the original Buyer and may not be assigned or otherwise transferred.

EXCLUSIVE REMEDY: For any loss or damage arising out of supplying Products to Buyer, or the sale, operation, or use of the Products—whether such claim is based in contract, warranty, tort (including negligence) or other grounds—BUYER'S EXCLUSIVE REMEDY IS LIMITED, at Seller's sole discretion, to either: (1) refund by the Seller of the purchase price for any non-conforming Products sold hereunder; or (2) the repair or replacement of any non-conforming Products. UNDER THIS EXCLUSIVE REMEDY, BUYER SHALL NOT RECOVER ANY OTHER COSTS FROM THE SELLER, including but not limited to the costs for: return of non-conforming Products, delivery of replacement Products, removal of non-conforming Products, reinstallation of replacement Products (or products purchased to replace any non-conforming Products), and/or any labor charges incurred related to the Products. NO OTHER REMEDY SHALL BE AVAILABLE TO BUYER. ANY CLAIM FOR INCIDENTAL AND/OR CONSEQUENTIAL DAMAGES for lost profits lost sales, injury to property, or any other incidental or consequential loss IS THEREFORE BARRED PURSUANT TO THE TERMS OF THIS EXCLUSIVE REMEDY. Seller will not be liable for any failure of Products to conform to the Exclusive Limited Warranty above caused by the unloading, storage, installation, or maintenance of the Products, or use of other products/ materials in conjunction with the Products that negatively impact the Product or otherwise do not conform with industry standards. The above limitations do not include damages related to personal injury.

#### TECHNICAL DATA

#### **Color Selection**

Colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete products are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry. County Materials recommends immediately verifying the product and color upon receipt, and prior to opening pallets. For any discrepancies, contact your local County Materials representative before installation. Use of product constitutes acceptance.

## Proper Color Distribution and Installation Techniques

Color of concrete products may vary significantly between production lots. Install concrete units from several pallets to ensure distribution of color. The contractor must install concrete units in accordance with the landscape industry's best practices according to ICPI and NCMA Standard Specifications and the manufacturer's instructions. County Materials is not liable or responsible for loss or damage resulting from improper use, handling or failure to follow installation instructions. Follow all applicable warnings, advisories, and instructions.

#### Efflorescence

Efflorescence are deposits of soluble salts and bases, usually white in color, which may appear on the surfaces of masonry or concrete construction. Although it may be an aesthetic concern, efflorescence will not affect structural performance. It's not uncommon for efflorescence to be more easily perceived in darker colors.

Although efflorescence cannot be prevented, over time it will wash off or it can be cleaned with an industry cleaner. County Materials accepts no responsibility or liability for the occurrence of efflorescence.

#### Joint Material

There are many different jointing materials specific to application requirements and desired results. Options range from natural sand as specified in ASTM C144 to polymeric sand options. If a polymeric sand is selected, County Materials recommends

choosing a product which is void of Portland, Fly Ash and Crushed Limestone (which are ingredients that cause hazing). Joint material should be completely removed from the surface of the pavers.

Use of joint material must comply with all instructions provided by the joint material manufacturer, and the joint material method must be performed on a separate mock-up sample not less than 7 feet by 7 feet prior to Buyer approval. County Materials accepts no responsibility or liability for the use of joint material with our concrete pavers and slabs.

#### Polymeric Haze

Polymeric haze from the use of polymeric joint sand may appear on concrete paver products if the sand was not installed properly or removed from the surface of the pavers properly. This does not, in any way, compromise the functionality or the structural integrity of the product or your installation. The hazing will weather away naturally with time and rain. Polymeric haze may be removed with an industry cleaner. County Materials accepts no responsibility or liability for the use of polymeric sand with our concrete pavers or any occurrence of polymeric haze or other undesired result.

#### **Washing Guidelines**

Seasonal maintenance is recommended for all County Materials pavers and slabs. General washing guidelines are provided for the following: organic stains, including fruit, soil and leaf residue, algae and moss stains, and efflorescence. Wash with a hose and stiff broom. Water pressure should be comparable to the average pressure from a home watering hose.

#### **Cleaning Agents**

Concrete cleaning agents are not required but are an option for all County Materials pavers and slabs. There are many different cleaning agents specific to application requirements and desired results. Use of the cleaning agent must comply with all instructions provided by the cleaning agent manufacturer, and the cleaning agent method must be performed on a separate mock-up sample not less than 7 feet by 7 feet prior to Buyer approval. County Materials accepts no responsibility or liability for the use of cleaning agents on our pavers and slabs.

#### Sealers

A concrete sealer application is not required on County Materials pavers and slabs but is an option. There are many different

sealing agents specific to application requirements and desired results. Use of the sealing agent must comply with all instructions provided by the sealing agent manufacturer, and the sealing agent method must be performed on a separate mock-up panel not less than 7 feet by 7 feet prior to Buyer approval. County Materials accepts no responsibility or liability for the use of sealers on our payers and slabs.

#### Slip Resistance and Ice Removal

Sand is the only material recommended to improve slip resistance on concrete product surfaces. Avoid the use of deicers and fertilizers which contain the following chemicals or compounds: Sodium chloride (NaCl "Rock Salt"), Calcium chloride (CaCl2), Magnesium chloride (MgCl2), Ammonium nitrate (NH4NO3), Ammonium sulfate (NH4SO4) or Urea. Use of these chemicals may be harmful to concrete products, especially when used in excess. County Materials accepts no responsibility or liability for the use of deicers on our pavers and slabs.

#### **Construction Residue**

A possible by-product of cutting concrete units during installation with a saw is residue-filled water or concrete dust. Residue-filled water or re-hydrated dust can cling to the surface of units and leave a concrete stain. It is recommended to wash and remove the water or concrete dust from the surface of the paver or slabs before it dries. Construction residue can also happen through soil disturbance or environmental elements. These contaminants should be removed immediately; they do not compromise the functionality or the structural integrity of the product or your installation. County Materials accepts no responsibility or liability for the occurrence of construction residue or concrete stains.

#### Compactor and Snow Removal Equipment

Textured paver and patio stone surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Refer to County Materials' Interlocking Concrete Paver or Slab Installation Guidelines. Also, snow removal equipment should have the proper spacing, bumper, and rubber blade guards to protect the surface of the pavers. County Materials accepts no responsibility or liability for damage caused by the use of compaction or snow removal equipment that may leave scuffs, burns or other markings on pavers and slabs.

126

## Care & Maintenance | Interlocking Concrete Pavers & Slabs

#### **Color Selection**

Colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete products are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry. County Materials recommends immediately verifying the product and color upon receipt, and prior to opening pallets. For any discrepancies, contact your local County Materials representative before installation. Use of product constitutes acceptance.

## Proper Color Distribution and Installation Techniques

Color of concrete products may vary significantly between production lots. Install concrete units from several pallets to ensure distribution of color. The contractor must install concrete units in accordance with the landscape industry's best practices according to ICPI and NCMA Standard Specifications and the manufacturer's instructions. County Materials is not liable or responsible for loss or damage resulting from improper use, handling or failure to follow installation instructions. Follow all applicable warnings, advisories, and instructions.

#### Efflorescence

Efflorescence is a naturally occurring process in all concrete products which may appear in the form of a white powdery film on the unit's surface. Efflorescence may be more perceivable in darker colors. It does not, in any way, compromise the functionality or the structural integrity of the product or your installation. Although efflorescence cannot be prevented, it will wash off over time or it can be cleaned with an industry cleaner. County Materials accepts no responsibility or liability for the occurrence of efflorescence.

#### **Washing Guidelines**

Seasonal maintenance is recommended for all County Materials' landscape products. General washing guidelines are provided for the following: organic stains, including fruit, soil and leaf residue, algae and moss stains, and efflorescence. For efflorescence stains, wash with a hose and stiff broom.

#### **Cleaning Agents**

Concrete cleaning agents are not required but are an option for all County Materials' Interlocking Pavers and Slabs. There are many different cleaning agents specific to application requirements and desired results. Use of the cleaning agent must comply with all instructions provided by the cleaning agent manufacturer, and the cleaning agent method must be performed on a separate mock-up sample not less than 7 feet by 7 feet prior to Buyer approval. County Materials accepts no responsibility or liability for the use of cleaning agents on our Interlocking Pavers and Slabs.

#### Construction Residue

A possible by-product of cutting concrete units during installation with a saw is residue-filled water or concrete dust. Residue-filled water or re-hydrated dust can cling to the surface of units and leave a concrete stain. It is recommended to wash and remove the water or concrete dust from the surface of the pavers before it dries. Construction residue can also happen through soil disturbance or environmental elements. These contaminants should be removed immediately; they do not compromise the functionality or the structural integrity of the product or your installation. County Materials accepts no responsibility or liability for the occurrence of construction residue or concrete stains.

#### Sealing

Concrete sealers, though not required, may minimize damage from deicing chemicals, prevent staining and enhance the color. If you choose to use a sealer, it is recommended to use a penetrating sealer which is breathable. Consult a County Materials' sales representative for complete sealing instructions. County Materials Corporation accepts no responsibility or liability for the use of sealing agent of on our Interlocking Pavers & Slabs.

#### Slip Resistance & Ice Removal

Sand is the only material recommended to improve slip resistance on concrete product surfaces. Avoid the use of deicers and fertilizers which contain the following chemicals or compounds: Sodium chloride (NaCl "Rock Salt"), Calcium chloride (CaCl2), Magnesium chloride (MgCl2), Ammonium nitrate (NH4NO3), Ammonium sulfate (NH4SO4) or Urea. Use of these chemicals may be harmful to concrete products, especially when used in excess. County Materials Corporation accepts no responsibility or liability for the use of slip resistant products.

#### **Delivery & Storage**

Buyer(s) of Interlocking Concrete Pavers & Slabs manufactured by County Materials Corporation shall inspect the material within 48 hours of receipt (the "Inspection Period") to ensure that the style, color, etc., comply with the specifications, and that the material is not damaged or defective. The buyer(s) will be deemed to have accepted the material unless it notifies County Materials Corporation in writing of any non-conforming material during the Inspection Period and furnishes such written evidence or other documentation as required by County Materials Corporation. Material that does not meet the specifications, is defective, or is damaged should not be used for construction.

Once the material is delivered, the buyer(s) is solely responsible for protecting the material from damage, including from snow, excessive mud, wet concrete or any agent that will bond to or damage the material. County Materials Corporation is not responsible for any damage to the material that occurs after delivery.

#### Reference Only – Landscape Products Specification Guide

This Guide, provided at no cost by County Materials Corporation, is intended to serve only as an informational resource for buyer(s) of Interlocking Concrete Pavers & Slabs manufactured by County Materials Corporation. Every effort has been made to ensure the accuracy of the information presented in this Installation Guide. However, this Guide is provided for reference only and is not a substitute for and does not replace the need for registered professional engineering design and experienced contractor installation. Actual site conditions may vary significantly from those presented in the estimating tables herein. County Materials Corporation strongly urges buyer(s) to exercise diligence and care in the selection, design, installation and use of any

construction materials. Review Tech Data Sheets,
Care and Maintenance, ICPI and NCMA industry
association best practice instructions before starting
and/or Buyer approval of Landscape projects. The final
determination of the suitability of any information
contained in this Installation Guide is the sole
responsibility of material buyer(s).

#### DISCLAIMER OF LIABILITY

COUNTY MATERIALS CORPORATION DISCLAIMS
ANY AND ALL LIABILITY FOR DAMAGES OR
LOSSES OF ANY KIND OR NATURE TO PERSON(S)
OR PROPERTY, INCLUDING, BUT NOT LIMITED TO,
DIRECT, INDIRECT, INCIDENTAL, CONSEQUENTIAL
OR PUNITIVE DAMAGES, ATTORNEYS' FEES OR
COSTS, ARISING OUT OF OR RELATED TO THE USE
OF THIS INSTALLATION GUIDE, INCLUDING, BUT NOT
LIMITED TO ANY WORK THAT MAY BE PERFORMED
BY ANY CONTRACTORS OR INSTALLERS.

## WAIVER OF CLAIMS AND AGREEMENT TO HOLD HARMLESS

BY USING THIS INSTALLATION GUIDE, YOU AGREE TO WAIVE ANY AND ALL CLAIMS AGAINST COUNTY MATERIALS CORPORATION, ITS OFFICERS, DIRECTORS, EMPLOYEES, VOLUNTEERS, REPRESENTATIVES, AND AFFILIATES, AND HOLD THEM HARMLESS FOR ANY DAMAGES OR LOSSES OF ANY KIND TO PERSON(S) OR PROPERTY, INCLUDING, BUT NOT LIMITED TO, DIRECT, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES ARISING OUT OF OR RELATED TO THE USE OF THIS INSTALLATION GUIDE, INCLUDING BUT NOT LIMITED TO THE SELECTION, DESIGN, INSTALLATION OR USE OF ANY MATERIALS, PRODUCTS, STRUCTURES, COMPONENTS OR ASSEMBLIES.

Purchaser is responsible for proper use, handling, maintenance and installation of product as determined by the manufacturer and industry standards. Product has a fitness for a particular purpose. Use and/or application of product not intended by the manufacturer and not in compliance with industry standards is not recommended. Use and/or installation and application are the sole responsibility of the purchaser.

## Care & Maintenance | Garden and Retaining Walls

#### **Color Selection**

Colors shown may vary from actual hues and should only be used as a guide. Refer to actual product samples for final color selection. Because concrete products are manufactured with high quality, naturally-mined aggregates and materials, variations in color or shading should be expected in products that are manufactured at different times and in units having different shapes. This color or shading variation is acceptable in the industry. County Materials recommends immediately verifying the product and color upon receipt, and prior to opening pallets. For any discrepancies, contact your local County Materials representative before installation. Use of product constitutes acceptance.

## Proper Color Distribution and Installation Techniques

Color of concrete products may vary significantly between production lots. Install concrete units from several pallets to ensure distribution of color. The contractor must install concrete units in accordance with the landscape industry's best practices according to ICPI and NCMA Standard Specifications and the manufacturer's instructions. County Materials is not liable or responsible for loss or damage resulting from improper use, handling or failure to follow installation instructions. Follow all applicable warnings, advisories, and instructions.

#### Efflorescence

Efflorescence is a naturally occurring process in all concrete products which may appear in the form of a white powdery film on the unit's surface. Efflorescence may be more perceivable in darker colors. It does not, in any way, compromise the functionality or the structural integrity of the product or your installation. Although efflorescence cannot be prevented, it will wash off over time or it can be cleaned with an industry cleaner. County Materials accepts no responsibility or liability for the occurrence of efflorescence.

#### Washing Guidelines

Seasonal maintenance is recommended for all County Materials' landscape products. General washing guidelines are provided for the following: organic stains, including fruit, soil and leaf residue,

algae and moss stains, and efflorescence. For efflorescence stains, wash with a hose and stiff broom.

#### Cleaning Agents

Concrete cleaning agents are not required but are an option for all County Materials' retaining wall units. There are many different cleaning agents specific to application requirements and desired results. Use of the cleaning agent must comply with all instructions provided by the cleaning agent manufacturer, and the cleaning agent method must be performed on a separate mock-up sample not less than 7 feet by 7 feet prior to Buyer approval. County Materials accepts no responsibility or liability for the use of cleaning agents on our retaining wall units.

#### **Construction Residue**

A possible by-product of cutting concrete units during installation with a saw is residue-filled water or concrete dust. Residue-filled water or re-hydrated dust can cling to the surface of units and leave a concrete stain. It is recommended to wash and remove the water or concrete dust from the surface of the garden and retaining walls before it dries. Construction residue can also happen through soil disturbance or environmental elements. These contaminants should be removed immediately; they do not compromise the functionality or the structural integrity of the product or your installation. County Materials accepts no responsibility or liability for the occurrence of construction residue or concrete stains.

#### Slip Resistance & Ice Removal

Sand is the only material recommended to improve slip resistance on concrete product surfaces. Avoid the use of deicers and fertilizers which contain the following chemicals or compounds: Sodium chloride (NaCl "Rock Salt"), Calcium chloride (CaCl2), Magnesium chloride (MgCl2), Ammonium nitrate (NH4NO3), Ammonium sulfate (NH4SO4) or Urea. Use of these chemicals may be harmful to concrete products, especially when used in excess. County Materials Corporation accepts no responsibility or liability for the use of slip resistant products.

#### **Delivery & Storage**

Buyer(s) of retaining wall systems manufactured by County Materials Corporation shall inspect the material within 48 hours of receipt (the "Inspection Period") to ensure that the style, color, etc., comply with the specifications, and that the material is not damaged or defective. The buyer(s) will be deemed to have accepted the material unless it notifies County Materials Corporation in writing of any non-conforming material during the Inspection Period and furnishes such written evidence or other documentation as required by County Materials Corporation. Material that does not meet the specifications, is defective, or is damaged should not be used for construction.

Once the material is delivered, the buyer(s) is solely responsible for protecting the material from damage, including from snow, excessive mud, wet concrete or any agent that will bond to or damage the material. County Materials Corporation is not responsible for any damage to the material that occurs after delivery.

#### For Reference Only – Landscape Products Specifications Guide

This Guide, provided at no cost by County Materials

Corporation, is intended to serve only as an informational resource for buyer(s) of retaining wall systems manufactured by County Materials Corporation. Every effort has been made to ensure the accuracy of the information presented in this Guide. However, this Guide is provided for reference only and is not a substitute for and does not replace the need for registered professional engineering design and experienced contractor installation. Actual site conditions may vary significantly from those presented in the estimating tables herein. County Materials Corporation strongly urges buyer(s to exercise diligence and care in the selection, design, installation and use of any construction materials. Review Tech Data Sheets, Care and Maintenance, ICPI and NCMA industry association best practice instructions before starting and/ or Buyer approval of Landscape projects. The final determination of the suitability of any information contained in this Installation Guide is the sole responsibility of material buyer(s).

#### DISCLAIMER OF LIABILITY

COUNTY MATERIALS CORPORATION DISCLAIMS ANY AND ALL LIABILITY FOR DAMAGES OR LOSSES OF ANY KIND OR NATURE TO PERSON(S) OR PROPERTY, INCLUDING, BUT NOT LIMITED TO, DIRECT, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES, ATTORNEYS' FEES OR COSTS, ARISING OUT OF OR RELATED TO THE USE OF THIS INSTALLATION GUIDE, INCLUDING, BUT NOT LIMITED TO ANY WORK THAT MAY BE PERFORMED BY ANY CONTRACTORS OR INSTALLERS.

## WAIVER OF CLAIMS AND AGREEMENT TO HOLD HARMLESS

BY USING THIS INSTALLATION GUIDE, YOU AGREE TO WAIVE ANY AND ALL CLAIMS AGAINST COUNTY MATERIALS CORPORATION, ITS OFFICERS, DIRECTORS, EMPLOYEES, VOLUNTEERS, REPRESENTATIVES, AND AFFILIATES, AND HOLD THEM HARMLESS FOR ANY DAMAGES OR LOSSES OF ANY KIND TO PERSON(S) OR PROPERTY, INCLUDING, BUT NOT LIMITED TO, DIRECT, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES ARISING OUT OF OR RELATED TO THE USE OF THIS INSTALLATION GUIDE, INCLUDING BUT NOT LIMITED TO THE SELECTION, DESIGN, INSTALLATION OR USE OF ANY MATERIALS, PRODUCTS, STRUCTURES, COMPONENTS OR ASSEMBLIES.

Purchaser is responsible for proper use, handling, maintenance and installation of product as determined by the manufacturer and industry standards. Product has a fitness for a particular purpose. Use and/or application of product not intended by the manufacturer and not in compliance with industry standards is not recommended. Use and/or installation and application are the sole responsibility of the purchaser.

128

## INDEX

County Block® Retaining Wall System 94
Demi PRESTIGE™ Coping Pavers 106
DESTINATION PAVERS®
DISCOVER PAVERS®
ELEMENTS™ Paving Stones
ESSENCE® Wood Grain Plank Pavers 70
Glow Path Technology <sup>TM</sup>
Grand CREST <sup>TM</sup> Bullnose Pavers
Grand DISCOVER PAVERS®
Grand FUSION PAVERS™
Grand TRANQUILITY PAVERS®
Grand VANTAGE PAVERS®
Grand XL DISCOVER PAVERS®
H <sub>2</sub> O PRO® Pavers
INFLUENCE PAVERS®
Integrity™ Retaining Wall System
Landscape Step Units
MagnumStone Retaining Wall System 98
Oversize Landscape Step Units
Passageways® Step Units

PRESTIGE™ Coping Pavers
REJUVENATE™ Permeable Pavers
Rib Rock™ Landscape Block
SKYLANDS™ Concrete Deck Pavers
Summit Stone® Landscape Units
Summit Stone® Landscape Units Circle Fire Pit Kits
Summit Stone® Landscape Units Square Fire Pit Kits121
Tribute® Smooth Wall Systems
Tribute® Smooth Landscape Units Square Fire Pit Kits
Tribute® Splitface Wall Systems
Unity™ Landscape Units
Unity™ Landscape Units
Square Fire Pit Kits
VANTAGE PAVERS®
VANTAGE PAVERS® 4x8
Winston® Straight Retaining Wall System 88
Winston® Tri-Split Retaining Wall System 90

## RESPONSIVE SERVICE

Our commitment to quality derives from our talented team of people who believe in delivering unparalleled craftsmanship, attention to detail, and customer service. Our customers trust that when they choose County Materials, they are partnering with an experienced, devoted team that is willing to go the extra mile for lifelong satisfaction.



## REQUEST A CONTRACTOR

Scan to request a contractor in your area



## OUR LOCATIONS & DEALERS

Scan to find a list of County Materials retail locations and Dealers



States with County Materials Dealer Locations



## **CUSTOMER SERVICE**

Scan to request customer service or Contact Customer Service at (800) 242-773



Proud to be American based and American made













