

2025 PACKAGING & SPECIFICATIONS GUIDE



ROCHESTER

CONCRETE PRODUCTS

INDEX AND FREIGHT NOTES

PAVERS, SLABS & TILES

6 x 12 Accent Pavers	5
American Brick Paver	5
Antique Travertine Tiles	6
Barn Plank Tiles	6
Barrington Paver	7
Broadmour Paver	7
Bullnose Paver	8
Cobble Stone Paver	8
Colonial Pavers	9
Contours Paver	9
Contours XL Paver	10
GeoCeramica Pavers (NEW)	4
Holland Paver	10
Holland-Eco Paver	11
Lamont Paver	11
Mezzano Paver	12
Minnetonka Paver	12
Pacific-Eco Paver	13
Reno Paver	13
Serano Paver	14
Silhouette Paver	14
Silhouette XL Paver	15
Slate Tiles	15
Tahoe Paver	16
Titan Slab	16
Windom Paver (NEW)	17

PERMEABLE PAVERS

Cobble Stone Paver	8
Holland-Eco Paver	11
Pacific-Eco Paver	13

RETAINING WALLS

Barn Plank Garden Wall	20
Classic 6 and 8 Walls	20
Classic 8 DOT Walls / Caps	20
Classic Colonial 6 Wall	21
Classic Colonial 8 Wall	21
Contemporary Wall	21
Cottage Stone Wall	22
Lakeland	22
Olympic Wall	22
Palisade Wall (NEW)	23
Premier 6 Wall	23
Premier 8 Wall	23
Recon Wall	24
Riverland Walls	24
Rosetta Walls	25
StoneHedge	25
Vintage 6 Wall	26
Versa-Lok	26

STEPS, CAPS & EDGING

Barn Plank Step	28
Bullnose Paver	8
Chiseled Caps and Tops	27
Chisled Steps	28
Edgers	27
Grand Step Split-Face	28
Imperial Step (NEW)	28
Retaining Wall Cap Blocks	26
Stepping Stones	29

OUTDOOR LIVING KITS

Contemporary Kits	38-39
Grand Fireplace Kits	32
Colonial Fireplace Kits	32
Compact Fireplace Kits	33
Fire Ring / Pits and Accessories	34
Grand Island Bar Kits	36
Granite Top Grill Kits	37
Seatwall and Pillar Kits	35
Summerset Sizzler Pro Grills	37
Victorian Fireplace Kits	33
Woodbox/Stand Kit	35

ACCESSORIES

Adhesive (Super-Stik)	29
Alliance Gator Sand/Sealers, ect.	30-31
Strata Geo-Grid	29
Strata Sleeve-It	29

REFERENCE

Accenting and Borders	18-19
Calculators (Adhesive, Paver, Wall Material)	40
Customer Service Policies	41
General Terms, Conditions and Policies	42
Warranty	43

FREIGHT NOTES

The following items CANNOT be stacked upon due to pallet size and/or position of product on pallet:

- Antique Travertine Tiles
- Barn Plank Tiles and Garden Wall
- Cottage Stone Retaining Wall
- Fire Ring Cap
- GeoCeramica
- Slate Landscape Tiles
- Stepping Stones

Information for planning your freight/loads:

- Grand Fire Ring Kits can be stacked three high
- For LTL purposes, each "spot" cannot weigh over 3,000 lbs. stacked
- All pallet weights include 50 lbs. for pallet

Whether shipping LTL or full loads, dispatchers will find the most competitive freight rate available. When you need one or more pallets but can't wait to fill a truckload, dispatchers will find LTL freight for shipments less than 15,000 lbs. (10 pallets) at current rates for typical 1-3 day delivery.

Please note: The information presented here has been prepared for the benefit of customers interested in Rochester Concrete Products, it was reviewed carefully prior to publication. Rochester Concrete Products assumes no liability for its accuracy or completeness. Final determination of the suitability of any information or material for the use contemplated, or for its manner of use, is the sole responsibility of the user.

- Some products may not be available in all areas
- Product availability and specifications subject to change without notice
- Product dimensions given are shown in inches, weights in pounds

©Copyright 2024, Rochester Concrete Products. All Rights Reserved. All trademarks and registered trademarks are the property of their respective owners. Rockwood Retaining Walls products are made worldwide under license from Rockwood Retaining Walls, Inc. US and international patents issued and pending. Dry-cast segmental wall products are manufactured in accordance with ASTM C1372.

DIRECTORY

SALES STAFF

IOWA

Jimmy Six
Phone: (641) 485-4802
jimmy.six@rochesterpc.com

ILLINOIS, INDIANA

Kurt Glave (METRO & INDIANA)
Phone: (847) 401-3741
kurt.glave@rochesterpc.com

NEBRASKA, KANSAS, W. MISSOURI

Brad Bailey
Phone: (402) 706-7725
brad.bailey@rochesterpc.com

MINNESOTA

Keith Ehmke (W. METRO)
Phone: (262) 339-6981
keith.ehmke@rochesterpc.com

Scott Gengler (SE. MN & E. METRO)
Phone: (507) 269-6982
scott.gengler@rochesterpc.com

Joe Dubois (METRO)
Phone: (651) 425-0606
joe.dubois@rochesterpc.com

N. MINNESOTA, N. & S. DAKOTA

Glen Nevala
Phone: (612) 702-4115
glen.nevala@rochesterpc.com

WISCONSIN

Chad Miller (MADISON)
Phone: (262) 303-1099
chad.miller@rochesterpc.com

Daniel Kozak (MILWAUKEE)
Phone: (262) 283-3168
daniel.kozak@rochesterpc.com

John Sheahan (N. WISC)
Phone: (507) 279-2950
john.sheahan@rochesterpc.com

NATIONAL ACCOUNTS

Jeff Anderson
Phone: (512) 571-6402
jeff.anderson@rochesterpc.com

COMMERCIAL PROJECTS

Jim Weidner
Phone: (507) 951-4374
jweidner@moderra.com

DISPATCH

ROCHESTER, MN

Jaime Martinez
Phone: (507) 424-4693
jaime.martinez@rochesterpc.com

THORP, WI

Tanya Kapfer
Phone: (715) 669-5552
tanya.kapfer@rochesterpc.com

JORDAN, MN

Becky Myre
Phone: (952) 492-3636
becky.myre@rochesterpc.com

Megan Scheerhoorn (Recon)
Phone: (952) 492-3636
megan.scheerhoorn@rochesterpc.com

BEAVER DAM, WI

Cherey Justmann
Phone: (920) 386-3104
cherey.justmann@rochesterpc.com

Linda Baker
Phone: (920) 386-3105
linda.baker@rochesterpc.com

SUPPORT STAFF

Crystal Mathews
Kit Warranties & Samples
Phone: (507) 535-1482
crystal.mathews@glsindustries.net

Kim Schumacher
Acct's Receivable, Block and Paver
Warranties
Phone: (507) 535-1493
kim.schumacher@glsindustries.net

WEB PAGE:
<https://rochesterpc.com>



MANUFACTURING/PRODUCTION


ROCHESTER, MN
7200 Broadway Ave. N, Rochester, MN 55906
Phone: (507) 288-8850
www.rochesterpc.com

BEAVER DAM, WI
W6558 Hwy 33, Juneau, WI 53039
Phone: (920) 386-3333
Fax: 920-386-4612

JORDAN, MN
3535 Bluff Drive, Jordan, MN 55352
Phone: (952) 492-3636

THORP, WI
N14665 Dickerson Ave., Thorp, WI 54771
Phone: (715) 669-5552

Jordan (Pavers, GeoCeramica, Recon) **Rochester** (Walls, Silver Creek Collection, Kits)



THE BEST OF BOTH WORLDS!

GeoCeramica® combines the modern aesthetic and low-maintenance of porcelain tile with the ease of installation of concrete pavers. GeoCeramica binds a 1cm porcelain tile to a concrete paver base using a proprietary Aquaferm binding agent.


Durable and Low Maintenance:

A surface that is easy to clean, stain, scratch, and slip resistance makes GeoCeramica an attractive choice for any outdoor kitchen, rooftop, patio or pool deck application.

Easy to Install:

GeoCeramica installs in a similar manner to traditional pavers over an open-graded or densely-graded base — saving you time and money compared to a traditional porcelain installation. We recommend filling joints with a resin sand such as Nitro or NitroX. We strongly recommend cementitious edging to enhance the longevity and quality of GeoCeramica projects.

GeoCeramica pavers can be cut with a water-cooled cut-off saw using a non-segmented diamond blade. Use a roller compactor when compacting.



GEOCERAMICA®



Surface and Edges:

- Smooth, 1cm porcelain tile bonded to a concrete paver base
- 3mm auto-spacer
- Micro-beveled tile edges, grey concrete paver base

Colors: Pearle, Taupe, Sable, Smoke


Ordering and Installation:

- Suitable for paths, patios, pool decks, raised decking
- Available by pallet or layer
- Similar to pavers, anticipate a 5% waste rate, order accordingly
- Install using a vacuum lifting device
- Install on an open-graded or densely-graded base
- Use extreme care during install to prevent edge damage
- We recommend filling joints with a resin sand such as Nitro or NitroX
- We recommend cementitious edging (such as Xtreme Edge) to enhance the longevity of GeoCeramica installs
- Use roller compactor when compacting



Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
23.62 x 23.62 x 1.6" H	3.88 sq. ft.	70.7 lbs.	2 (7.76 sq. ft.)	13	26 (100.75 sq. ft.)	1,890 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



For installation and best practices, scan here.

ACCENT PAVER (SMOOTH)



Surface and Edges:

- Smooth surface; straight/chamfered edge, radius corners
- Small auto-spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Bone, Mocha, Natural, Onyx

Ordering and Installation:

- Specify Smooth when placing order
- Available by pallet or layer
- Suitable for all pedestrian, pool and non-commercial vehicle applications
- Use plate or roller compactor when compacting



Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
5.75 x 11.5 x 2-3/8" H	0.46 sq. ft.	12 lbs.	18	10 (8.3 sq. ft.)	180 (83 sq. ft.)	2,225 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.

ACCENT PAVER (TEXTURED)



Surface and Edges:

- Textured surface; irregular/chamfered edge, radius corners
- Small auto-spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Mocha, Natural, Onyx

Ordering and Installation:

- Specify Textured when placing order
- Available by pallet or layer
- Suitable for all pedestrian, pool and non-commercial vehicle applications
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting



Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
5.75 x 11.5 x 2-3/8" H	0.46 sq. ft.	12.9 lbs.	21	10 (9.7 sq. ft.)	210 (97 sq. ft.)	2,591 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.

AMERICAN BRICK PAVER



Surface and Edges:

- Multiple faces, textured top, radius corners
- No auto-spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Mocha, Onyx, Wheat


Ordering and Installation:

- Available by pallet or layer
- Designed for borders, accents and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting



Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
7.96 x 2.58 x 2-3/8" H	0.14 sq. ft.	3.85 lbs.	60	10 (8.44 sq. ft.)	600 (84 sq. ft.)	2,318 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



ANTIQUE TRAVERTINE LANDSCAPE TILES



Surface and Edges:

- Three sizes w/multiple unique faces
- Detailed travertine top and sides, smooth honed surfaces, radius corners
- Strong and durable 10,000 psi wet cast concrete

Colors: Ivory, Natural


Ordering and Installation:

- Palletized by size, cannot be double stacked
- Available by pallet or piece
- Suitable for all pedestrian and pool applications
- Individual tile dimensions have some variability, gap tiles a minimum of 1/4"
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting




Size	Dimensions	Face Area	Weight	Units/Pallet	Pallet Weight
Small	12 x 24 x 2" H	2 sq. ft.	46 lbs.	20 (40 sq. ft.)	970 lbs.
Medium	18 x 24 x 2" H	3 sq. ft.	70 lbs.	18 (54 sq. ft.)	1,310 lbs.
Large	24 x 24 x 2" H	4 sq. ft.	88 lbs.	18 (72 sq. ft.)	1,634 lbs.


Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.




Pattern 1
Large = 100%




Pattern 2
Large = 100%



Pattern 3
Small = 22.2%
Medium = 33.3%
Large = 44.5%



Pattern 4
Small = 28.57%
Medium = 42.85%
Large = 28.57%



Pattern 5
Medium = 100%

BARN PLANK LANDSCAPE TILES



Surface and Edges:

- Multiple faces with deep, authentic splits and detailed grain top and sides, radius corners
- Mastered off a 17th century Swiss Barn
- Strong and durable 10,000 psi wet cast concrete

Colors: Mahogany, Weathered Grey


Ordering and Installation:

- Palletized by size, cannot be double stacked
- Available by pallet or piece
- Suitable for all pedestrian and pool applications
- Individual tile dimensions have some variability, gap tiles a minimum of 1/4"
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting




Size	Dimensions	Face Area	Weight	Units/pallet	Pallet Weight
Small	15.50 x 9.75 x 2" H	1.05 sq. ft.	24 lbs.	40 (42 sq. ft.)	993 lbs.
Medium	23.37 x 9.75 x 2" H	1.59 sq. ft.	33 lbs.	20 (31.8 sq. ft.)	720 lbs.
Large	35 x 9.75 x 2" H	2.37 sq. ft.	52 lbs.	20 (47.4 sq. ft.)	1,124 lbs.


Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.




Pattern 1
Small = 21%
Medium = 31.5%
Large = 47.4%




Pattern 2
Small = 21%
Medium = 31.5%
Large = 47.4%



Pattern 3
Large = 100%



Pattern 4
Large = 100%



Pattern 5
Small = 57%
Medium = 43%

BARRINGTON PAVERS



Surface and Edges:

- Smooth surface, straight/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading




Colors: Beechwood, Cascade, Glacier Creek, Santa Fe

Ordering and Installation:

- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- Use plate or roller compactor when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	7.79 x 15.66 x 2-3/8" H	0.85 sq. ft.	24.6 lbs.	2			
Medium	15.66 x 15.66 x 2-3/8" H	1.70 sq. ft.	49.1 lbs.	2	10 (10.2 sq. ft.)	60 (102 sq. ft.)	3,000 lbs.
Large	15.66 x 23.54 x 2-3/8" H	2.60 sq. ft.	75.2 lbs.	2			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1

Pattern 2

Pattern 3

Pattern 4

Pattern 5

Patterns shown use full layers.

BROADMOUR PAVERS/SLAB



Surface and Edges:

- Smooth surface, straight/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology

Colors: Cascade, Natural, Pewter, Sahara, (Onyx* 6 x 12 only)

*Onyx is protected with Chroma Shield anti-fade technology.


Ordering and Installation:

- Palletized by size, available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use Small Rectangle, American Brick, Cobble Stone or Colonial paver for borders and insets
- Use plate or roller compactor when compacting



Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Sm Rectangle	5.9 x 11.81 x 2-3/8" H	0.5 sq. ft.	13.55 lbs.	24	6 (12 sq. ft.)	144 (72 sq. ft.)	1,982 lbs.
Lg Rectangle	23.62 x 11.81 x 2-3/8" H	2 sq. ft.	54.3 lbs.	6	8 (12 sq. ft.)	48 (96 sq. ft.)	2,655 lbs.
Lg Square	23.62 x 23.62 x 2-3/8" H	4 sq. ft.	108.5 lbs.	2	10 (8 sq. ft.)	20 (80 sq. ft.)	2,205 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1
Large Rectangle = 80%
Square = 20%

Pattern 2
Small Rectangle = 21%
Large Rectangle = 31.6%
Square = 47.4%

Pattern 3
Small Rectangle = 23.3%
Large Rectangle = 61.5%
Square = 15.2%

Pattern 4
Small Rectangle = 11.1%
Square = 88.9%

Pattern 5
Herringbone

Pattern 6
Running Bond

BULLNOSE PAVER

Surface and Edges:

- Smooth surface, full radius front
- No auto spacer
- Thru-mix color

Colors: Mocha, Natural, Wheat, Onyx

Ordering and Installation:

- Available by pallet or layer
- Use plate or roller compactor when compacting



Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
12 x 6 x 2-3/8" H	0.50 sq. ft.	13.06 lbs.	48	3	144 (72 sq. ft.)	1,930 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.

COBBLE STONE PAVER



Surface and Edges:

- Textured top, radius corners
- Large auto-spacer, high-flow-rate, eco/permeable
- Chroma Color facemix technology

Colors: Beechwood, Moonlight Grey, Onyx*

*Onyx is protected with Chroma Shield anti-fade technology.


Ordering and Installation:

- Four-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian, pool and non-commercial vehicle applications
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting



Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	7.05 x 5.87 x 2-3/8" H	0.29 sq. ft.	7.44 lbs.	8			
Medium	8.63 x 5.87 x 2-3/8" H	0.35 sq. ft.	10.26 lbs.	8			
Large	10.2 x 5.87 x 2-3/8" H	0.42 sq. ft.	10.78 lbs.	8	8 (12.33 sq. ft.)	256 (98.7 sq. ft.)	2,584 lbs.
X Large	11.77 x 5.87 x 2-3/8" H	0.48 sq. ft.	12.32 lbs.	8			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



COLONIAL PAVERS



Surface and Edges:

- Dimpled top, straight/irregular edge detail
- Small auto-spacer
- Chroma Color facemix technology

Colors: Beechwood, Mocha, Moonlight Grey, Onyx*

*Onyx is protected with Chroma Shield anti-fade technology.




Ordering and Installation:

- Palletized separately
- Available by pallet or band
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick or Cobble Stone pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/Band	Bands/Pallet	Units/Pallet	Pallet Weight
3/4 Square	6.3 x 4.65 x 2-3/8" H	0.20 sq. ft.	5.42 lbs.	56 (11.4 sq. ft.)	7	392 (80 sq. ft.)	2,148 lbs.
Rectangle	6.3 x 9.45 x 2-3/8" H	0.41 sq. ft.	11.58 lbs.	45 (18.4 sq. ft.)	5	225 (92 sq. ft.)	2,650 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1
3/4 Square = 33%
Rectangle = 67%

Pattern 2
3/4 Square = 33%
Rectangle = 67%

Pattern 3
Rectangle = 100%

Pattern 4
3/4 square = 100%

Pattern 5
Rectangle = 100%

CONTOURS PAVERS



Surface and Edges:

- Textured surface, straight/chamfered edge, small auto spacer
- Whispers Technology creates multi-angled color graining mimicking natural stone
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Beige, Flint, Mist


Ordering and Installation:

- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Colonial or Cobble Stone pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting



Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	9.84 x 4.92 x 2-3/8" H	0.34 sq. ft.	9.18 lbs.	4			
Medium	9.84 x 9.84 x 2-3/8" H	0.68 sq. ft.	18.37 lbs.	4	10 (8.08 sq. ft.)	120 (80.8 sq. ft.)	2,235 lbs.
Large	14.75 x 9.84 x 2-3/8" H	1.01 sq. ft.	27.29 lbs.	4			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1

Pattern 2

Pattern 3

Patterns shown use full layers.

CONTOURS XL SLABS



Surface and Edges:

- Textured surface, straight/chamfered edge detail, small auto-spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading
- Whispers finishing creates multi-angled color and textured surfaces

Colors: Beige, Flint, Mist


Ordering / Installation:

- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Colonial or Cobble Stone pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting



Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
XL Small	11.81 x 17.71 x 2-3/8" H	1.45 sq. ft.	39.5 lbs.	1			
XL Medium	17.71 x 17.71 x 2-3/8" H	2.18 sq. ft.	59.39 lbs.	1	10 (7.26sq. ft.)	30 (72.6 sq. ft.)	2,028 lbs.
XL Large	29.52 x 17.71 x 2-3/8" H	3.63 sq. ft.	98.9 lbs.	1			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1

Pattern 2

Pattern 3

Patterns shown use full layers.

HOLLAND PAVERS



Surface and Edges:

- Smooth top, chamfered edge
- Small auto-spacer
- Chroma Color facemix technology

Colors: Antique Copper, Beechwood, Bone, Mocha, Moonlight Grey, Natural, Rosewood, Onyx*
*Onyx is protected with Chroma Shield anti-fade technology.


Ordering and Installation:

- Available by pallet or band
- Suitable for all pedestrian, pool and all vehicle applications
- Use 6 x 12 Accent, American Brick or Cobble Stone pavers for borders and insets
- Use plate or roller compactor when compacting



Dimensions	Face Area	Weight	Units/Band	Bands/Pallet	Units/Pallet	Pallet Weight
8.5 x 4.25 x 2-3/8" H	0.25 sq. ft.	6.98 lbs.	80	5 (19.6 sq. ft.)	400 (98 sq. ft.)	2,841 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1

Pattern 2

Pattern 3

Pattern 4

Pattern 5

HOLLAND-ECO PAVER



Surface and Edges:

- 8cm tall, smooth top, chamfered edge
- Large auto-spacer, high-flow-rate, eco/permeable
- Chroma Color facemix technology

Colors: Beechwood, Moonlight Grey




Ordering and Installation:


- Two-piece, one-pallet system
- Available by pallet
- Available with or without small squares, specify when ordering
- Suitable for all pedestrian, pool and all vehicle applications
- Palletized with or without squares for machine installation, specify when ordering
- Compatible with 8cm Pacific-Eco paver
- Use plate or roller compactor when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Rectangle	4.87 x 9.75 x 3-1/8" H	0.33 sq. ft.	11.92 lbs.	28			
Square	4.87 x 4.87 x 3-1/8" H	0.165 sq. ft.	5.9 lbs.	7	8 (10.38 sq. ft.)	280 (83 sq. ft.)	3,050 lbs.


Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Palletized with squares.



Palletized with rectangles only.



To maintain Herringbone pattern, knit with Holland-Eco.

LAMONT 6 X 8 PAVER



Surface and Edges:

- Tumbled/aged appearance, straight edge detail
- No auto-spacer
- Thru-mix color; non-facemix

Colors: Antique Brown, Beechwood, Mocha, Onyx, Sierra Grey, Wheat



Ordering and Installation:

- Suitable for all pedestrian, pool and all vehicle applications
- Available by pallet or band
- Use 6 x 12 Accent, American Brick or Cobble Stone pavers for borders and insets
- Use plate or roller compactor when compacting

Dimensions	Face Area	Weight	Units/Band	Bands/Pallet	Units/Pallet	Pallet Weight
8.18 x 6.12 x 2-3/8" H	0.35 sq. ft.	9.38 lbs.	50 (17.8 sq. ft.)	5	250 (89 sq. ft.)	2,410 lbs.

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.

MEZZANO PAVERS



Surface and Edges:

- Textured surface, irregular/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading




Colors: Beechwood, Cascade, Glacier Creek, Santa Fe

Ordering and Installation:

- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian, pool and all vehicle applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	5.75 x 5.75 x 2-3/8" H	0.23 sq. ft.	6.47 lbs.	6			
Medium	5.75 x 11.5 x 2-3/8" H	0.46 sq. ft.	12.94 lbs.	6	10 (9.7 sq. ft.)	180 (97 sq. ft.)	2,780 lbs.
Large	11.5 x 11.5 x 2-3/8" H	0.92 sq. ft.	25.89 lbs.	6			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1 Pattern 2 Pattern 3 Pattern 4 Pattern 5

Patterns shown use full layers.

MINNETONKA PAVERS



Surface and Edges:

- Textured surface, irregular/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading




Colors: Beechwood, Cascade, Glacier Creek, Santa Fe

Ordering and Installation:

- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	7.79 x 15.66 x 2-3/8" H	0.85 sq. ft.	22.61 lbs.	2			
Medium	15.66 x 15.66 x 2-3/8" H	1.70 sq. ft.	45.23 lbs.	2	10 (10.2 sq. ft.)	60 (102 sq. ft.)	2,763 lbs.
Large	15.66 x 23.54 x 2-3/8" H	2.56 sq. ft.	68.1 lbs.	2			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Pattern 1 Pattern 2 Pattern 3 Pattern 4 Pattern 5

Patterns shown use full layers.

PACIFIC-ECO PAVER



Surface and Edges:

- 8cm tall, smooth top, beveled edge
- Large auto-spacer, high-flow-rate, eco/permeable
- Chroma Color facemix technology

Colors: Beechwood, Moonlight Grey

Ordering and Installation:


- Four-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian, pool and all vehicle applications
- Palletized for machine installation
- Use 8cm Holland-Eco Paver for borders and insets
- Use plate or roller compactor when compacting




Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Sm. Square	4.87 x 4.87 x 3-1/8" H	0.17 sq. ft.	4.98 lbs.				
Sm. Rectangle	4.87 x 9.75 x 3-1/8" H	0.33 sq. ft.	10.27 lbs.	28 (13.44 sq. ft.)	7 (425 lbs.)	224 (94 sq. ft.)	2,913 lbs.
Lg. Square	9.75 x 9.75 x 3-1/8" H	0.66 sq. ft.	20.54 lbs.				
Lg. Rectangle	14.62 x 9.75 x 3-1/8" H	.99 sq. ft.	30.8 lbs.				

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.

Pacific-Eco pallet pattern for machine install. Knit with Holland-Eco.



Pacific-Eco pallet layer for conventional install. Pattern uses one full layer.



RENO PAVERS



Surface and Edges:

- Smooth surface, irregular/chamfered edge
- Small auto-spacer
- Chroma Color facemix technology

Colors: Beechwood, Cascade, Glacier Creek, Latte


Ordering and Installation:

- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian, pool and all vehicle applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- Use plate or roller compactor when compacting



Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	4.87 x 9.87 x 2-3/8" H	0.33 sq. ft.	8.86 lbs.	8			
Medium	9.87 x 9.87 x 2-3/8" H	0.67 sq. ft.	17.99 lbs.	6	8 (11.75 sq. ft.)	152 (94 sq. ft.)	2,574 lbs.
Large	14.75 x 9.87 x 2-3/8" H	1.01 sq. ft.	27.11 lbs.	5			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Patterns shown use full layers.

SERANO PAVERS



Surface and Edges:

- Smooth surface, straight/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Beechwood, Cascade, Glacier Creek, Santa Fe


Ordering and Installation:

- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian, pool and all vehicle applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- Use plate or roller compactor when compacting



Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	5.75 x 5.75 x 2-3/8" H	0.23 sq. ft.	6.23 lbs.	6			
Medium	5.75 x 11.5 x 2-3/8" H	0.46 sq. ft.	12.46 lbs.	6	10 (9.7 sq. ft.)	180 (97 sq. ft.)	2,680 lbs.
Large	11.5 x 11.5 x 2-3/8" H	0.92 sq. ft.	24.93 lbs.	6			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Patterns shown use full layers.

Pattern 1 Pattern 2 Pattern 3 Pattern 4 Pattern 5

SILHOUETTE PAVERS



Surface and Edges:

- Smooth surface, straight/chamfered edge
- Small auto spacer
- Whispers Technology creates multi-angled color graining mimicking natural stone
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading

Colors: Beige, Flint, Mist


Ordering and Installation:

- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Colonial or Cobble Stone pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting



Size	Dimensions	Face area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	9.84 x 4.92 x 2-3/8" H	0.34 sq. ft.	9.18 lbs.	4			
Medium	9.84 x 9.84 x 2-3/8" H	0.68 sq. ft.	18.37 lbs.	4	10 (8.08 sq. ft.)	120 (80.8 sq. ft.)	2,234 lbs.
Large	14.75 x 9.84 x 2-3/8" H	1.01 sq. ft.	27.29 lbs.	4			

Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number. Dimensions shown are actual unless noted.



Patterns shown use full layers.

Pattern 1 Pattern 2 Pattern 3

SILHOUETTE XL SLABS



Surface and Edges:

- Smooth surface, straight/chamfered edge detail
- Small auto-spacer
- Chroma Color facemix technology
- Chroma Shield technology provides protection from fading
- Whispers finishing creates multi-angled color and textured surfaces

Colors: Beige, Flint, Mist


Ordering / Installation:

- Three-piece, one-pallet system
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Colonial or Cobble Stone pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting



Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
XL Small	11.81 x 17.71 x 2-3/8" H	1.45 sq. ft.	39.5 lbs.	1			
XL Medium	17.71 x 17.71 x 2-3/8" H	2.18 sq. ft.	59.41 lbs.	1	10 (7.26 sq. ft.)	30 (72.6 sq. ft.)	2,028 lbs.1
XL Large	29.52 x 17.71 x 2-3/8" H	3.63 sq. ft.	98.93 lbs.	1			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Patterns shown use full layers.

SLATE LANDSCAPE TILES



Surface and Edges:

- Four sizes with 23 unique faces, detailed slate top, chiseled sides
- Strong and durable 10,000 psi wet cast concrete
- Also available in unique 24" x 36" slab


Colors: Bluestone, Cascade

Ordering and Installation:

- Palletized by size, cannot be double stacked
- Available by pallet or piece
- Suitable for all pedestrian and pool applications
- Individual tile dimensions have some variability, gap tiles a minimum of 1/4"
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting



Size	Dimensions	Face Area	Weight	Units/pallet	Pallet Weight
Small	12 x 12 x 1-3/4" H	1 sq. ft.	18 lbs.	44 (44 sq. ft.)	840 lbs.
Medium	24 x 12 x 1-3/4" H	2 sq. ft.	35 lbs.	22 (44 sq. ft.)	930 lbs.
Large	24 x 24 x 1-3/4" H	4 sq. ft.	67 lbs.	22 (88 sq. ft.)	1,524 lbs.
XL (not shown)	24 x 36 x 1-3/4" H	6 sq. ft.	107 lbs.	16 (96 sq. ft.)	1,762 lbs.



Pattern 1
Small = 14.2%
Medium = 28.5%
Large = 57.1%

Pattern 2
Small = 28.5%
Medium = 28.5%
Large = 57.1%

Pattern 3
Small = 33.3%
Large = 66.6%

Pattern 4
Small = 14.2%
Medium = 28.5%
Large = 57.1%

Pattern 5
Small = 33.3%
Medium = 22.2%
Large = 44.4%

Pattern 6
Small = 7.7%
Medium = 15.38%
Large = 30.7%
XL = 46.15%

TAHOE PAVERS



Surface and Edges:

- Textured surface, irregular/chamfered edge
- Small auto-spacer
- Chroma Color facemix technology

Colors: Beechwood, Cascade, Glacier Creek, Latte




Ordering and Installation:

- Three-piece, one-pallet systems
- Available by pallet or layer
- Suitable for all pedestrian, pool and all vehicle applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- To avoid damaging pavers, use a roller compactor or buffer pad when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	4.87 x 9.87 x 2-3/8" H	0.33 sq. ft.	8.86 lbs.	8			
Medium	9.87 x 9.87 x 2-3/8" H	0.67 sq. ft.	18.26 lbs.	6	8 (11.75 sq. ft)	152 (94 sq. ft.)	2,575 lbs.
Large	14.75 x 9.87 x 2-3/8" H	1.01 sq. ft.	27.13 lbs.	5			

Pallet square footage is accurate, layers and bands square footages have been rounded. Dimensions shown are actual unless noted.



Patterns shown use one complete pallet layer.

TITAN SLAB



Surface and Edges:

- Smooth surface, straight/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology


Colors: Cascade, Natural, Pewter, Sahara



Ordering and Installation:

- Lifting device recommended
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- Use roller compactor or buffer pad when compacting

Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
23.62 x 35.43 x 2-3/8" H	5.68 sq. ft	153.2 lbs.	2	8 (11.62 sq. ft.)	16 (93 sq. ft.)	2,559 lbs.



WINDOM PAVERS/SLABS



Surface and Edges:

- Smooth surface, straight/chamfered edge, radius corners
- Small auto spacer
- Chroma Color facemix technology




Colors: Glacier Creek, Cascade, Pewter, Sahara

Ordering and Installation:


- Three-piece, one-pallet systems
- Available by pallet or layer
- Suitable for all pedestrian and pool applications
- Use 6 x 12 Accent, American Brick, Cobble Stone or Colonial pavers for borders and insets
- Use plate or roller compactor when compacting

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	7.79 x 15.66 x 2-3/8" H	0.85 sq. ft.	24.6 lbs.	2			
Medium	15.66 x 15.66 x 2-3/8" H	1.70 sq. ft.	49.1 lbs.	2	10 (10.2 sq. ft.)	60 (102.2 sq. ft.)	3,005 lbs.
Large	15.66 x 23.54 x 2-3/8" H	2.60 sq. ft.	75.2 lbs.	2			


Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number. Dimensions shown are actual unless noted.




Pattern 1
One full layer




Pattern 2
One full layer



Pattern 3
One full layer




Pattern 4
One full layer




Pattern 5
Two full layers


ACCENTING AND BORDER PAVERS




AMERICAN BRICK




AMERICAN BRICK




AMERICAN BRICK + 6 X 12 ACCENT




6 X 12 ACCENT




6 X 12 ACCENT




6 X 12 ACCENT + AMERICAN BRICK



COLONIAL RECTANGLE + 3/4 SQUARE




COLONIAL RECTANGLE + AMERICAN BRICK



COLONIAL 3/4 SQUARE + AMERICAN BRICK







COBBLE STONE + AMERICAN BRICK



COBBLE STONE

With the exception of Pacific-Eco and Holland-Eco, all our pavers are 6cm in height — making it easy to mix and match products for accenting and edging to meet your design goals.

Our endless combinations of paver shapes, colors and textures give designers the freedom to make their hardscape designs truly exceptional. Examples shown are to equal scale.




BARN PLANK GARDEN WALL



Surface and Edges:

- Deep splits, radius edges with detailed grain top, sides and ends
- Strong and durable 10,000 psi wet cast concrete

Colors: Mahogany, Weathered Grey



Ordering and Installation:

- Lifting device recommended
- Available by pallet

Dimensions	Area (ea.)	Weight	Units/pallet	Pallet Weight
40 x 8 x 6" H	1.66 sq. ft.	156 lbs.	16 (26.56 sq. ft.)	2,546 lbs.

Dimensions shown are nominal.

CLASSIC® 6 AND 8 RETAINING WALLS



Ordering and Installation:


- Specify 6 or 8" height, straight or beveled face
- Strong and versatile, efficient to build, one-unit system
- Matching half and corner block (2-3 day lead time req'd.)
- 1.0" setback; adjustable
- Cap with 4" Universal or Chiseled Cap
- Available by layer or pallet

Classic 6 Colors: (beveled face) Bluestone, Sandstone Brown, Santa Fe


Classic 6 Colors: (straight face) Bluestone, Charcoal, Grey, Sandstone, Sandstone Brown, Santa Fe

Classic 8 Colors: (beveled face) Grey, Sandstone

Classic 8 Colors: (straight face) Charcoal, Grey, Sandstone, Sandstone Brown



Straight Split



Beveled Split

Classic 6 Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Straight Face	18 x 12 x 6" H	0.75 sq. ft.	64 lbs.	12	3	36 (27 sq. ft.)	2,354 lbs.
Straight Base (grey only)	18 x 12 x 6" H	0.75 sq. ft.	64 lbs.	12	3	36 (27 sq. ft.)	2,354 lbs.
Beveled Face	18 x 12 x 6" H	0.75 sq. ft.	60 lbs.	12	3	36 (27 sq. ft.)	2,210 lbs.
Corner	18 x 9 x 6" H	0.66 sq. ft.	74.5 lbs.	5	4	20 (13.2 sq. ft.)	1,540 lbs.

To estimate number of units, divide total sq. ft. by 0.75 for Classic 6.

Classic 8 Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Straight Face	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	3	36 (36 sq. ft.)	3,110 lbs.
Straight Base (grey only)	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	3	36 (36 sq. ft.)	3,110 lbs.
Beveled Face	18 x 12 x 8" H	1.0 sq. ft.	79 lbs.	12	3	36 (36 sq. ft.)	2,895 lbs.
Solid Corner Block**	18 x 9 x 8" H	1.0 sq. ft.	100 lbs.	5	4	20 (20 sq. ft.)	2,050 lbs.

Corners are split on one long and one short side. ** Rochester and Beaver Dam only. Dimensions shown are nominal.





CLASSIC® 8 DOT RETAINING WALL & CAPS



Ordering and Installation:

- Straight face, 1" setback; adjustable
- Iowa, Minnesota and Wisconsin DOT approved
- Manufactured in Thorp, WI (IA & MN) and Beaver Dam, WI (WI)
- Available by pallet

Colors: Grey, Sandstone



Beveled Face is SPECIAL ORDER and can be made in any color, minimum quantity required; customer must take entire production run, returns not allowed.

DOT Blocks/Caps	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Straight Face	18 x 12 x 8" H	1.0 sq. ft.	87 lbs.	12	3	36 (36 sq. ft.)	3,182 lbs.
Beveled Face*	18 x 12 x 8" H	1.0 sq. ft.	82 lbs.	12	3	36 (36 sq. ft.)	3,002 lbs.
4" Flat Cap (WI)	18/14 x 11 x 4" H	1.33 sq. ft.	55 lbs.	9	5	45 (60 sq. ft.)	2,520 lbs.
4" Peaked Cap (MN and IA)	18 W x 12 x 4" H	1.5 sq. ft.	70 lbs.	8	4	32 (48 sq. ft.)	2,290 lbs.


Dimensions shown are nominal.

CLASSIC COLONIAL® 6 RETAINING WALL



Ordering and Installation:

- Multi-unit appearance, rustic face
- A strong and versatile, efficient to build, one or two unit system
- 1.0" setback; adjustable
- To estimate number of Classic Colonial 6 units, divide total sq. ft. by 0.75
- Cap with 4" Universal or Chiseled Cap
- Available by layer or pallet



6/12 units are palletized together

18 units are palletized separately

Colors: Bluestone, Santa Fe, Sandstone Brown

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Colonial 18	18 x 12 x 6" H	0.75 sq. ft.	60 lbs.	12	3	36 (27 sq. ft.)	2,260 lbs.
Colonial 6/12	18 x 12 x 6" H	0.75 sq. ft.	60 lbs.	12	3	36 (27 sq. ft.)	2,260 lbs.
Base Block (grey only)	18 x 12 x 6" H	0.75 sq. ft.	60 lbs.	12	3	36 (27 sq. ft.)	2,260 lbs.


Dimensions shown are nominal.

CLASSIC COLONIAL® 8 RETAINING WALL (special order)



Ordering and Installation:

- Multi-unit appearance, rustic face
- A strong and versatile, efficient to build, one or two unit system
- 1.0" setback; adjustable
- Cap with 4" Universal or Chiseled Cap



6/12 units are palletized together

18 units are palletized separately

Color: SPECIAL ORDER and can be made in any color, minimum quantity required; customer must take entire production run, returns not allowed.

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Colonial 18	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	3	36 (36 sq. ft.)	3,110 lbs.
Colonial 6/12	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	3	36 (36 sq. ft.)	3,110 lbs.
Base Block (grey only)	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	3	36 (36 sq. ft.)	3,110 lbs.


Dimensions shown are nominal.

CONTEMPORARY RETAINING WALL



Ordering and Installation:

- Three-piece set, one-pallet system
- Smooth surfaces, beveled edges, matching Corner/Pillar and Cap blocks
- Builds vertical, freestanding garden/retaining walls, planters, seatwalls and outdoor living features
- Available by layer or pallet



Colors: Beechwood, Cascade, Onyx


Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	8 x 8 x 4" H						
Medium	16 x 8 x 4" H	1.33 sq. ft./set	122 lbs./set	4 sets/layer	5	20 sets (26.6 sq. ft.)	2,480 lbs.
Large	24 x 8 x 4" H						
Corner/Pillar Block	12 x 8 x 4" H	0.33 sq. ft.	35 lbs.	20	4	80 (26.6 sq. ft.)	2,850 lbs.
Contemporary Wall Cap	24 W x 12 x 2-3/8" H	2 ln. ft.	50 lbs.	6	4	48 (96 ln. ft.)	2,450 lbs.

Dimensions shown are nominal.

COTTAGE STONE RETAINING WALL

Ordering and Installation:

- Trapezoid design, split face front/back, beveled face,
- Curved bottom aids fast install, ideal for small garden walls, tree rings and planters
- Rear-lip creates 0.5" setback
- Cap with Mini-Cap
- Available by pallet
- Pallets cannot be double stacked



Colors: Charcoal, Grey, Sandstone, Sandstone Brown

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Cottage Stone	12 x 8.5 x 4" H	0.33 sq. ft.	25 lbs.	16	6	96 (31.68 sq. ft.)	2,450 lbs.


Dimensions shown are nominal. To estimate number of units, divide total sq. ft. by 0.33

LAKELAND RETAINING WALLS



Ordering and Installation:

- Tumbled, three-piece, two-pallet system with square ends/sides
- Builds vertical, freestanding garden/retaining walls, planters, seatwalls and outdoor living features
- Cap with Chiseled Cap
- To estimate number of units, divide total sq. ft. by 0.33
- Available by layer or pallet



Colors: Beechwood, Bluestone, Cascade, Santa Fe, (Onyx is available non-tumbled, Standard only)


Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Lakeland II Small (two piece set)	4 x 8 x 4" H	0.33 sq. ft.	31 lbs.	20 sets	4	80 sets (26 sq. ft.)	2,530 lbs.
Lakeland II Medium	8 x 8 x 4" H	0.33 sq. ft.	31 lbs.	20	4	80 (26 sq. ft.)	2,530 lbs.

Dimensions shown are nominal.

OLYMPIC RETAINING WALL

Ordering and Installation:

- Single-unit, smooth surface w/dramatic beveled edges
- Partial cores with channel/anchor bar design, matching corner/pillar block
- Installs with groove facing up
- Builds vertical, freestanding garden/retaining walls, planters, seatwalls and outdoor living features
- Cap with Contemporary Wall cap
- Available by layer or pallet




Colors: Beechwood, Cascade, Onyx

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Wall	17.25 x 10 x 6" H	0.72 sq. ft.	67 lbs.	12	4	48 (34.5 sq. ft.)	3,266 lbs.
Seatwall/Corner/Pillar	12 x 10 x 6" H	0.50 sq. ft.	57 lbs.	16	3	48 (24 sq. ft.)	2,785 lbs.

Dimensions shown are nominal.

IMPORTANT: Olympic corner/pillar blocks have one non-beveled bottom edge. Install blocks so this side is NOT exposed in freestanding wall, pillar and corner construction.




PALISADE RETAINING WALL



Ordering and Installation:

- Smooth surfaces, 90° corners, chamfered face
- Builds linear gravity walls with 0.75" setback (5.3'), adjustable to vertical
- Chroma Color facemix technology on face
- Corner/End units have Chroma Color on face and sides
- Lifting device required
- Cap with Contemporary Wall Cap
- For quick and easy Palisade Wall installation, use base block (gray)
- Available by pallet



Colors: Cafe, Cascade

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Standard		2.22 sq. ft.	330 lbs.	4	2	8 (17.76 sq. ft.)	2,714 lbs.
Corner/End	40" x 12" x 8" H	2.22 sq. ft.	330 lbs.	4	2	8 (17.76 sq. ft.)	2,714 lbs.
Contemporary Wall Cap	24" x 12 x 2-3/8" H	2.0 in. ft.	50 lbs.	6	8	48 (96 in. ft.)	2,450 lbs.
Base Block	15" x 12 x 4" H	0.44 sq. ft.	47 lbs.	-		56 (24.64 sq. ft.)	2,828 lbs.


Dimensions shown are nominal.

PREMIER 6 RETAINING WALL



Ordering and Installation:

- Easy-to-handle for increased efficiencies in the field
- Straight-thru core design; cores fill quickly & easily — void/fill coefficients: 0.011CY (.017 tons)
- Straight-split face, 0.50" (4.7) setback
- Ability to construct tight radius turns
- Cap 4" Universal, Contemporary or Chiseled Cap
- Available by layer or pallet



Colors: Bluestone, Santa Fe, Onyx

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Premier 6	18 x 12 x 6" H	0.74 sq. ft.	43.5 lbs.	9	5	45 (33.3 sq. ft.)	2,010 lbs.
Corner (solid)	18 x 9 x 6" H	0.66 sq. ft.	74.5 lbs.	5	4	20 (13.2 sq. ft.)	1,540 lbs.


Dimensions shown are nominal.

PREMIER 8 RETAINING WALL



Ordering and Installation:

- Easy-to-handle for increased efficiencies in the field
- Straight-thru core design; cores fill quickly & easily — void/fill coefficients: 0.018CY (.028 tons)
- Straight-split face, 1.0" (7) setback
- Ability to construct tight radius turns
- Cap with 4" Universal or Chiseled Cap
- Available by layer or pallet



Colors: Charcoal, Grey, Sandstone, Sandstone Brown

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Premier 8 (Rochester)	18 x 12 x 8" H	1 sq. ft.	57 lbs.	9	4	36 (36 sq. ft.)	2,102 lbs.
Premier 8 (Beaver Dam)	18 x 12 x 8" H	1 sq. ft.	57 lbs.	9	5	45 (45 sq. ft.)	2,615 lbs.
Solid Corner*	18 x 9 x 8" H	1 sq. ft.	100 lbs.	5	4	20 (20 sq. ft.)	2,050 lbs.


*Corners are split on one long and one short side, Rochester and Beaver Dam only. Dimensions shown are nominal.

RECON RETAINING WALL



Ordering and Installation:


- Strong, wet cast blocks; 1,457 to 4,088 lbs. ea.
- 24" to 84" D x 48" W x 16" H
- Regular corner and cap blocks
- Half block (24" or 39" deep)
- Full fence or full high end/cap blocks
- DOT approved in Minnesota and Wisconsin
- Order by size/face style, by piece



Color: Natural/Grey; stain after installation

Block	Size W x D x H	Face Area	Unit Weight
Full Base Block - 24"	48 x 24 x 16" H	5.33 sq. ft.	1,457 lbs.
Full Base Block - 39"	48 x 39 x 16" H	5.33 sq. ft.	2,201 lbs.
Full Base Block - 45"	48 x 45 x 16" H	5.33 sq. ft.	2,491 lbs.
Full Base Block - 60"	48 x 60 x 16" H	5.33 sq. ft.	3,115 lbs.
Full Base Block - 66"	48 x 66 x 16" H	5.33 sq. ft.	3,416 lbs.
Full Base Block - 72"	48 x 72 x 16" H	5.33 sq. ft.	3,660 lbs.
Full Base Block - 78"	48 x 78 x 16" H	5.33 sq. ft.	3,902 lbs.
Full Base Block - 84"	48 x 84 x 16" H	5.33 sq. ft.	4,088 lbs.
Full Top Block - 24"	48 x 24 x 16" H	5.33 sq. ft.	971 lbs.
Regular Corner	48 x 24 x 16" H	5.33 sq. ft.	1,401 lbs.
Corner Top	48 x 24 x 16" H	5.33 sq. ft.	1,103 lbs.
Half Block 24"	48 x 24 x 16" H	5.33 sq. ft.	667 lbs.
Half Block 39"	48 x 36 x 16" H	5.33 sq. ft.	973 lbs.
Capstone	48 x 26 x 6.5" H	2.16 sq. ft.	551 lbs.
Fence Middle Block	16 x 48 x 24" H	2.66 sq. ft.	1,449 lbs.
Fence Middle End Block	16 x 48 x 24" H	2.66 sq. ft.	1,476 lbs.
Half Fence Middle End Block	16 x 24 x 24" H	2.66 sq. ft.	709 lbs.
Guardrail Middle Block	16 x 48 x 24" H	2.66 sq. ft.	1,373 lbs.

Dimensions shown are nominal.



LE SUEUR COUNTY LIMESTONE




WEATHERED EDGE

RIVERLAND WALL



Ordering and Installation:

- Tumbled, three-piece, one-pallet system with tapered sides
- Builds 7 foot 8 inch radius without cutting
- Cap with Chiseled Cap
- Available by layer or pallet



Colors: Beechwood, Bluestone, Cascade, Santa Fe, Onyx

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	8 x 8 x 4" H						
Medium (3 piece set)	12 x 8 x 4" H	1.0 sq. ft.	90 lbs.	5 sets	6	30 (30 sq. ft.)	2,750 lbs.
Large	16 x 8 x 4" H						

Dimensions shown are nominal.

ROSETTA OUTCROPPING WALL

Ordering and Installation:

- Strong, wet cast wall blocks for serious performance and curb appeal
- 6", 12", 18" and 24" heights
- Fourteen unique shapes in 2' to 6' widths
- 15° setback (3")
- Lifting device required, available for purchase or rent (53 lbs.)
- Use Rosetta Technical Guide for patterns/installation
- Available by pallet

Colors: Copper Canyon, Fond du Lac, Pacific Grey

Pallets	Dimensions (W X H)	Area/Pallet	Pallet Weight
Pallet A	3.5' x 1' + 4' x 1' + 5' x 1' + 5.5' x 1'	18 sq. ft.	4,000 lbs.
Pallet B	2' x .5' + 3' x .5' + 4' x .5' + 4.5' x 1' + 3' x 1' + 6' x 1'	18 sq. ft.	4,000 lbs.
Pallet C	2' x .5' + 3' x .5' + 5' x 1.5' + 4' x 2'	18 sq. ft.	4,000 lbs.
Corner Pallet (3/pallet)	30" x 4' x 1'	19.5 sq. ft.	3,650 lbs.

Dimensions shown are nominal.



ROSETTA KODAH WALL

Ordering and Installation:

- Four-unit system on one pallet
- Two-sided, wet cast blocks build freestanding, vertical seat and retaining walls
- Matching corner/end blocks
- Use Rosetta Technical Guide for patterns/installation
- Available by pallet

Colors: Copper Canyon, Fond du Lac, Pacific Grey

Dimensions	Weight Each	Units/Pallet	Pallet Weight
42 x 10.5 x 6" H	200 lbs.	6 (10.5 sq. ft.)	(21 sq. ft.) 2,400 lbs
30 x 10.5 x 6" H	140 lbs.	3 (3.75 sq. ft.)	
21 x 10.5 x 6" H	100 lbs.	6 (5.28 sq. ft.)	
12 x 10.5 x 6" H	50 lbs.	3 (1.5 sq. ft.)	
Corner Pallet (21 x 10.5 x 6" H)	100 lbs.	16 (21 sq. ft.)	2,400 lbs.

Dimensions shown are nominal.




Rosetta installation and pattern guides:
<http://tinyurl.com/33wavfz4>

STONEHEDGE 6 RETAINING WALL (special order)

Ordering and Installation:

- Two-sided, split-face front and back
- Vertical system, anchor bar integrates with Classic block systems
- Creates seatwalls, enclosures and privacy walls
- To estimate number of units, divide total sq. ft. by 0.75

Color: SPECIAL ORDER and can be made in any color, minimum quantity required; customer must take entire production run, returns not allowed.



Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
18 x 10 x 6" H	0.75 sq. ft.	64 lbs.	8	3	24 (18 sq. ft.)	1,586 lbs.


Dimensions shown are nominal.

VERSA-LOK STANDARD RETAINING WALL



Ordering and Installation:

- Limited delivery areas in WI, IL and Indiana
- Split-face blocks build straight or curved retaining walls
- Split block for corner and freestanding wall construction
- Setback: 0.75"/unit (7") or vertical
- Cap with 4" Universal cap
- Dry stack/pin connection method (two Versa-Tuf pins required/unit)
- Available by pallet



Colors: Buff, Carmel, Moonlight Gray


Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
14/16 W x 12 D x 6" H	0.667 sq. ft.	82 lbs.	10	4	40 (26.7 sq. ft.)	3,350 lbs.
Versa-Tuff Pin (6.8" x .48 dia.)	-	-	100/Bag			

VINTAGE 6 RETAINING WALLS



Ordering and Installation

- Three-piece, one-pallet system
- Split-faced, vertical wall system with anchor bar connection
- Wall blocks have tapered ends and edges
- Builds straight or 8' radius freestanding or retaining walls without cutting
- End blocks are split three sides, corner/pillar block split two sides
- Order Split Face or Tumbled
- Available by pallet or layer



Colors: Beechwood, Bluestone, Cascade, Santa Fe

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	6 x 10 x 6" H	0.25 sq. ft.					
Medium	12 x 10 x 6" H	0.50 sq. ft.	137.5 lbs.	4 sets	5	20 sets (30 sq. ft.)	2,790 lbs.
Large	18 x 10 x 6" H	0.75 sq. ft.					
Small End Block - tumbled	6 x 10 x 6" H	0.42 sq. ft.	81.50 lbs.	8 sets	1	8 sets	702 lbs.
Large End Block - tumbled	12 x 10 x 6" H	0.83 sq. ft.					
Corner - tumbled (full pallets only)	12 x 9 x 6" H	0.50 sq. ft.	48 lbs.	15	2	30	1,490 lbs.
Small End Block - non-tumbled	6 x 10 x 6" H	0.42 sq. ft.	81.50 lbs.	8 sets	3	24 sets	2,006 lbs.
Large End Block - non-tumbled	12 x 10 x 6" H	0.83 sq. ft.					
Corner - non-tumbled (full pallets only)	12 x 9 x 6" H	0.50 sq. ft.	48 lbs.	15	2	30	1,490 lbs.

Dimensions shown are nominal.

RETAINING WALL CAPS



3" and 4" Universal Caps

- Split face front/back
- Available by pallet or layer

4" Colors: Bluestone, Charcoal, Grey, Sandstone, Sandstone Brown, Santa Fe

3" Colors: Beechwood, Bluestone, Cascade, Grey, Onyx, Santa Fe

Contemporary Cap


- Smooth top/sides, beveled edges
- Available by pallet or layer

Colors: Mocha, Natural, Onyx

Mini-Cap: (Cottage Stone)

- Split face front/back
- Available by pallet or layer

Colors: Charcoal, Grey, Sandstone, Sandstone Brown



Block	Dimensions	Face	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
4" Universal*	18/14 x 11 x 4" H	1.33 In. ft.	54 lbs.	5	9	45 (60 In. ft.)	2,480 lbs.
3" Universal	12/10.62 x 12 x 3" H	11.25" In ft.	26 lbs.	12	4	48 (45 In. ft.)	1,298 lbs.
Contemporary Cap	24 x 12 x 2-3/8" H	2 In. ft.	50 lbs.	6	8	48 (96 In. ft.)	2,450 lbs.
Mini-Cap**	8/6 x 9.25 x 3" H	0.67 In. ft.	15.2 lbs.	52	2	104 (60 In. ft.)	1,630 lbs.

*To estimate 4" Universal Cap, divide wall length by 1.33 **To estimate Mini-Cap, divide wall length by 0.58 Dimensions shown are nominal.


CHISELED CAPS AND TOPS



Ordering and Installation:

- Strong, wet cast reproductions of handcrafted limestone originals
- Available by pallet or piece
- Pallets CANNOT be double stacked

Colors: Bluestone, Indiana Limestone, Buff



Item	Dimensions	Face Area	Weight	Units/Pallet	Pallet Weight
25" Pillar Cap	25 x 25 x 2.25" H	4.34 sq. ft.	110 lbs.	6 (26.04 sq. ft.)	710 lbs.
30" Pillar Cap	30 x 30 x 2.25" H	6.25 sq. ft.	125 lbs.	6 (37.50 sq. ft.)	800 lbs.
8" Radius Seatwall Cap	18.75 x 12 x 2.25" H	1.56 sq. ft.	39 lbs.	15 (23.40 sq. ft.)	635 lbs.
12" Straight Seatwall Cap, chiseled two sides	24 x 12 x 2.25" H	2 sq. ft.	53 lbs.	15 (30 sq. ft.)	845 lbs.
12" Straight Seatwall Cap, chiseled three sides	24 x 12 x 2.25" H	2 sq. ft.	53 lbs.	15 (30 sq. ft.)	845 lbs.
2-sided Bar Top (Indiana Limestone color only)	36 x 48 x 2.25" H	12 sq. ft.	327 lbs.	1 (12 sq. ft.)	377 lbs.
3-sided Bar Top (Indiana Limestone color only)	36 x 48 x 2.25" H	12 sq. ft.	327 lbs.	1 (12 sq. ft.)	377 lbs.
Fire Ring Cap (8 piece set)	52" dia. x 2.25" H		298 lbs.	1 set	298 lbs.

EDGERS - BULLET

Ordering and Installation:

- To estimate number of units, divide lineal ft. by 0.9375
- Available by pallet

Colors: Beechwood, Carmel, Charcoal, Natural, Wheat



Size	Unit In. ft.	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
4 x 12.25 x 4" H	0.9375 In. ft.	14 lbs.	36	5	180 (168.75 In. ft.)	2,570 lbs.

Dimensions shown are nominal.

EDGERS - ROCKWOOD CLASSIC



Ordering and Installation:

- Patented T-lock design helps prevent frost heave
- To estimate number of units, divide lineal ft. by 0.83
- Available by pallet

Colors: , Charcoal, Grey, Brown, Red/Black, Sandstone



Size	Unit In. ft.	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
4 x 10 x 2.75" H	0.83 In. ft.	9 lbs.	48	5	240 (200 In. ft.)	2,223 lbs.

Dimensions shown are nominal.

EDGERS - TUMBLED GRANITE



Ordering and Installation:

- Smooth sides, split face, tumbled
- To estimate number of units, divide lineal ft. by 12
- Available by pallet

Colors: Bluestone, Santa Fe, Onyx



Size	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
12 x 4 x 4" H	16 lbs.	32	5	160 (160 In. ft.)	2,610 lbs.

Dimensions shown are nominal.


STEPS - BARN PLANK



Ordering and Installation:

- Strong, wet cast concrete, deep splits/detailed grain on five sides
- Lifting device recommended
- Available by pallet or piece

Colors: Mahogany, Weathered Grey



Style	Dimensions	Weight	Units/Pallet	Pallet Weight
Barn Plank Step	48 x 18 x 5.75" H	450 lbs.	4	1,850 lbs.

Dimensions shown are nominal.

STEPS - CHISELED



Ordering and Installation:

- Strong, wet cast concrete, order by style:
 - ONE-SIDED: Chiseled riser, smooth tread
 - THREE-SIDED: Chiseled riser and sides, rough tread
- One-Sided and Three-Sided steps CANNOT be used together
- Lifting device recommended
- Available by pallet or piece

Colors: Bluestone, Buff, Indiana Limestone



Style	Dimensions	Weight	Units/Pallet	Pallet Weight
One-sided	48 x 18 x 5.75" H	435 lbs.	4	1,790 lbs.
Three-sided	48 x 18 x 5.75" H	435 lbs.	4	1,790 lbs.


Dimensions shown are nominal.

STEP - GRAND

Ordering and Installation:

- Straight-split face with smooth tread & sides
- Lifting device recommended
- Available by pallet

Colors: Beechwood, Charcoal, Natural, Wheat



Dimensions	Area	Weight	Units/Pallet	Pallet Weight
48 x 18 x 6" H	6.0 sq. ft.	409 lbs.	6 (36 sq. ft.)	2,504 lbs.

Dimensions shown are nominal.

STEP - IMPERIAL



Ordering and Installation:

- Smooth face, deep bevel front/back, smooth tread/sides
- Lifting device recommended
- Available by pallet

Colors: Mocha, Charcoal, Natural, Wheat




Dimensions	Area	Weight	Units/Pallet	Pallet Weight
48 x 18 x 6" H	6.0 sq. ft.	409 lbs.	6 (36 sq. ft.)	2,504 lbs.

Dimensions shown are nominal.

STEPPING STONES

Ordering and Installation:

- Strong, wet cast reproductions of handcrafted limestone originals
- Four unique shapes, chiseled edge; 1.75" H, (ave. 3.75 sq. ft. ea.)
- Available by pallet
- Pallets CANNOT be double stacked



Colors: Bluestone, Indiana Limestone, Buff

Dimensions	Weight/Set	Sets/Pallet	Pallet Weight
Irregular (1.75" H)	213 lbs.	5 (75 sq. ft.)	1,115 lbs.

STRATA - GEOGRID


Grid	Item#	Roll Size	Weight	Coverage
Strata Dealer Roll	1178100	4 x 50'	-	22.22 sq. yd.
Strata 200	SGU 60	6 x 300'	95 lbs.	200 sq. yd.
Strata 350	SGU 80	6 x 300'	100 lbs.	200 sq. yd.



STRATA - SLEEVE-IT

Sleeve-It SD-1 is a pre-engineered fence post anchoring solution for fences placed on top of a segmental retaining wall (SRW). SD-1's patent-pending design allows stable fence footings to be integrated into the SRW while it is being constructed. Meets and exceeds IBC 1015.2, IBC 1607.8.1 and ASCE 7 4.5.1 standards.

Item#	Package	Pallet
SD1	5 units (1 pkg.)	45 units/pallet



SUPER-STIK ADHESIVE

Tube	Approximate length of bead-by-bead diameter:			Item#	Tubes/Case	Pallet Count
	1/8" Dia.	1/4" Dia.	3/8" Dia.			
10.5 oz. tube	129 ft.	32 ft.	14 ft.	1140001	12	108 cases
29 oz. tube	355 ft.	89 ft.	39 ft.	1140002	12	44 cases



ALLIANCE GATOR SANDS, CLEANERS, SEALING, EDGING

	Item Number	Size / Weight	Quantity / Pallet	Weight / Pallet	Minimum Order
POLYMERIC SANDS G2					
Supersand Beige	G2supersand001b	50 lbs. Bag	56 Bags	2,800 lbs.	
Supersand Slate Grey	G2supersand002g	50 lbs. Bag	56 Bags	2,800 lbs.	
Gator Maxx Bond Beige	G2gatormaxx01	50 lbs. Bag	56 Bags	2,800 lbs.	
Gator Maxx Bond Grey	G2gatormaxx02	50 lbs. Bag	56 Bags	2,800 lbs.	
Gator Maxx Bond Ivory	G2gatormaxx03	50 lbs. Bag	56 Bags	2,800 lbs.	
Gator Maxx Bond Black Diamond	G2gatormaxx04	50 lbs. Bag	56 Bags	2,800 lbs.	
POLYMERIC SANDS - SUPERSAND (NON-G2)					
Beige Non-G2	Supersand001b	50 lbs. Bag	56 Bags	2,800 lbs.	
Slate Grey Non-G2	Supersand002g	50 lbs. Bag	56 Bags	2,800 lbs.	
POLYMERIC SANDS - GATOR MAXX (NON-G2)					
Beige Non-G2	Gatormaxx01	50 lbs. Bag	56 Bags	2,800 lbs.	
Grey Non-G2	Gatormaxx02	50 lbs. Bag	56 Bags	2,800 lbs.	
POLYMERIC STONE - GATOR DUST					
Grey	Gator001	50 lbs. Bag	56 Bags	2,800 lbs.	
Sahara Beige	Gator002	50 lbs. Bag	56 Bags	2,800 lbs.	
RESIN SAND - NITRO					
Beige	Gatornitro01	40 lbs. Pail	48 Pails	1,920 lbs.	
Grey	Gatornitro02	40 lbs. Pail	48 Pails	1,920 lbs.	
Silver	Gatornitro03	40 lbs. Pail	48 Pails	1,920 lbs.	
Black	Gatornitro04	40 lbs. Pail	48 Pails	1,920 lbs.	
RESIN SAND - NITRO-X (NEW)					
Black	Gatornitrox05	27.5 lbs. Pail	48 Pails	1,320 lbs.	
Gunmetal	Gatornitrox06	27.5 lbs. Pail	48 Pails	1,320 lbs.	
Taupe	Gatornitrox07	27.5 lbs. Pail	48 Pails	1,320 lbs.	
Platinum	Gatornitrox08	27.5 lbs. Pail	48 Pails	1,320 lbs.	
Vanilla	Gatornitrox09	27.5 lbs. Pail	48 Pails	1,320 lbs.	"
NAILS					
Common 10"	Nail-Com 10	50 lbs. Approx. 180/Box	48 Boxes	2,400 lbs.	1 Box
Common 12"	Nail-Com 12	50 lbs. Approx. 130/Box	48 Boxes	2,400 lbs.	1 Box
Spiral 10"	Nail-Spi 10	50 lbs. Approx. 250/Box	48 Boxes	2,400 lbs.	1 Box
Spiral 12"	Nail-Spi 12	50 lbs. Approx. 210/Box	48 Boxes	2,400 lbs.	1 Box
Spiral 6"	Nail-Spi 6	50 lbs. Approx. 700/Box	48 Boxes	2,400 lbs.	1 Box
EDGING - PLASTIC					
Gator Edge, Rigid (8' stick)	Gatoredge001	.28 lbs. lf.	5376 lf.	1,510.66 lbs.	1 Bundle (192 lf.)
Gator Edge, Flex (8' stick)	Gatorflex001	.24 lbs. lf.	5376 lf.	1,288 lbs.	1 Bundle (192 lf.)
Gator Edge, Mini-Pro (8' stick)	Gatoredge003	.14 lbs. lf.	3072 lf.	552.96 lbs.	1 Bundle (192 lf.)
Gator Edge, Tile (8' stick)	Gatoredge007	.14 lbs. lf.	3072 lf.	430 lbs.	1 Bundle (192 lf.)
Gator Edge X4 (4' stick) – NEW					
Gator Edge X4 (4' stick) Box Promo – NEW					
Gator Edge X4 (4' stick) Box + Pallet Promo – NEW					
Gator Screws (50 screws/box)	Gatorscrew001	.87 lbs. /package	800 Packages	696 lbs.	1 Pkg
Gator Edge X4	Gatordegx4	.245 lbs. lf.	3072 Lf	752.64 lbs.	1 Bundle (96 Lf.)
Gator Edge X4 Box Promo	Gatordegx4boxpro2	106 lbs. Box	4 Boxes	424 lbs.	1
Gator Edge X4 Box + Pallet Promo	Gatordegx4bpprom1	753.34 lbs.	1	753.34 lbs.	1
EDGING - CONCRETE					
Gator Xtreme Edge	Gatorxtreme01	50 lbs. Bag	56 Bags	2,800 lbs.	
BINDERS					
Bond, Binder only (4 units/box)	Gatorrock02	9.02 lbs. Unit	96 Units	865.92 lbs.	1 Box
Bond Kit (Rock & Binder)	Gatorrock05	38.39 lbs. Pail	48 Pails	1,842.72 lbs.	
ADHESIVE-XP LOW VOC POLYURETHANE					
Black Tube 10 oz. (12 units/box)	Gbbxp10.3	12.21 lbs. Box	90 Boxes	1,098.9 lbs.	1 Box
Black Tube 28 oz. (12 units/box)	Gbbxp28	33.11 lbs. Box	60 Boxes	1,986.6 lbs.	1 Box
GATOR BASE					
10 panels/package (57.9 sq. ft)	Gatorbase01	15 lbs.	12 Packages	180 lbs.	1 Pkg

	Item Number	Size / Weight	Quantity / Pallet	Weight / Pallet	Minimum Order
GATOR SPACERS					
1/4" (6.4mm)	Gatorspacer001	5.26 lbs. Package	144 Packages	757.44 lbs.	1 Pkg
3/16 (4.8mm)	Gatorspacer002	5.26 lbs. Package	144 Packages	757.44 lbs.	1 Pkg
1/8 lf. (3.2mm)	Gatorspacer003	5.26 lbs. Package	144 Packages	757.77 lbs.	1 Pkg
SEALERS - WATER BASED					
Low Gloss - 1 Us Gal	Gatorhybrid021	8.98 lbs. Unit	96 Units	862.08 lbs.	1 Box
Low Gloss - 5 Us Gal	Gatorhybrid03	43.43 lbs. Pail	48 Pails	2,084.64 lbs.	
High Gloss - 1 Us Gal	Gatorhybrid04	8.98 lbs. Unit	96 Units	862.08 lbs.	1 Box
High Gloss - 5 Us Gal	Gatorhybrid05	43.43 lbs. Pail	48 Pails	2,084.64 lbs.	
Low Gloss + Enhancer - 1 Us Gal	Gatorhybrid40	8.98 lbs. Unit	96 Units	862.08 lbs.	1 Box
Low Gloss + Enhancer - 5 Us Gal	Gatorhybrid41	43.43 lbs. Pail	48 Pails	2,084.64 lbs.	
High Gloss + Enhancer - 1 Us Gal	Gatorhybrid44	8.98 lbs. Unit	96 Units	862.08 lbs.	1 Box
High Gloss + Enhancer - 5 Us Gal	Gatorhybrid45	43.43 lbs. Pail	48 Pails	2,084.64 lbs.	
Natural Stone Zero Gloss+Enh. - 1 Us Gal	Gatorseal50	8.93 lbs. Unit	96 Units	857.28 lbs.	1 Box
Natural Stone Zero Gloss+Enh. - 5 Us Gal	Gatorseal51	44.56 lbs. Pail	48 Buckets	2,138.88 lbs.	
Natural Look Water Base - 1 Us Gal	Gatorseal04	9.02 lbs. Unit	96 Units	865.92 lbs.	1 Box
Natural Look Water Base - 5 Us Gal	Gatorseal03	43.43 lbs. Pail	48 Buckets	2,084.64 lbs.	
SEALERS - SOLVENT BASE					
Wet Look - 1 Us Gal	Gatorseal02	8.56 lbs. Unit	96 Units	821.76 lbs.	1 Box
Wet Look - 5 Us Gal	Gatorseal01	42.79 lbs. Pail	48 Buckets	2,053.92 lbs.	
Satin Look - 1 Us Gal	Gatorseal06	8.09 lbs. Unit	96 Units	776.64 lbs.	1 Box
Satin Look - 5 Us Gal	Gatorseal05	40.04 lbs. Pail	48 Buckets	1,921.92 lbs.	
Resealer - 1 Us Gal	Gatorresealer02	7.84 lbs. Unit	96 Units	752.64 lbs.	1 Box
Resealer - 5 Us Gal	Gatorresealer01	39.49 lbs. Pail	48 Pail	1,895.52 lbs.	
Resealer - 53 Us Gal Drum	Gatorresealer03	440 lbs. Drum	1 Drum	440 lbs.	
CLEANERS					
Sealer Stripper - 1 Us Gal	Gatorclean12	8.6 lbs. Unit	96 Units	929.28 lbs.	1 Box
Clean Sealer Stripper	Gatorclean11	43.78 lbs.	48 Pails	2,101.44 lbs.	
Rubber, Paint, Tar Remover - 1 Qt.	Gatorclean01	1.87 lbs. Unit	144 Units	268.28 lbs.	1 Box
XP Oil And Grease Remover - 1 Qt.	Gatorclean0212	2.5 lbs. Unit	144 Units	360 lbs.	1 Box
Rust Remover - 1 qt.	Gatorclean051	2.38 lbs. Unit	144 Units	342.72 lbs.	1 Box
Efflorescence Cleaner - 1 Us Gal	Gatorclean03	9.68 lbs. Unit	96 Units	929.28 lbs.	1 Box
Efflorescence Cleaner - 5 Us Gal	Gatorclean04	47.85 lbs.	48 Pails	2,296.8 lbs.	
Efflorescence Cleaner - 53 Us Gal	Gatorclean06	528 lbs.	4 Drums	1,131 lbs.	
Prof. Gator Grade Efflorescence - 5 Us Gal	Gatorclean040	44.97 lbs.	48 Pails	2,158.56 lbs.	
Shampoo Cleaner - 1 Gal	Gatorclean07	8.99 lbs. Unit	96 Units	863.04 lbs.	1 Box
Shampoo Cleaner - 5 Gal	Gatorclean08	45.98 lbs.	48 Pails	2,207.04 lbs.	
Gatorene - 1 Us Gal	Gatorclean10	8.56 lbs. Unit	96 Units	821.76 lbs.	1 Box
Gator Sprayer	Gatorsprayer01	6 lbs. Box	24 Boxes	144 lbs.	1 Box
Yellow Roller (For Water Base Sealer)	Roller001	2.2 lbs. Box	24 Boxes	52.8 lbs.	1 Box
Black Roller (For Solvent Base Sealer)	Roller006	2.2 lbs. Box	24 Boxes	52.8 lbs.	1 Box

GATOR NITRO/NITRO-X SAND

- Rapid flow technology
- Smaller aggregates and resin formula
- Fast and simple install
- 2x stronger than regular Nitro
- Applicable for narrower joints 1/8" to 2" (3 - 50mm)
- New colors
- Install rain or shine, top to bottom strength, permeable





GATOR EDGE X4

- 4' lengths
- Snap and lock system
- Straight and curved applications, superior lateral support
- Less waste
- Better storage, inventory and transportation

G2 INTELLIGENT POLYMERIC SAND

- No dust
- Haze free
- One watering
- Rapid set up - 15 minutes



GATOR X TURF

- Pile height 1.75" (45 mm) ± 3%
- Face weight 85 oz./sq.yd ± 5%, hardwearing resistance
- If interested in turf, we will set up meeting with alliance rep present


GRAND FIREPLACE KITS

Features:

- Includes Majestic Products Villawood 36" stainless steel wood-burning insert, log rack and spark curtain
- 4' stainless stovepipe chimney
- Spark suppressor cap
- Optional **Burner Log Set** (Specify NG or LP when ordering)
- Optional **Grand Wood Box Kit** (available left or right side)
- Optional **Grand Hearth Kit**

Colors: Beechwood, Bluestone, Cascade, Santa Fe

Cap/top Color: Indiana Limestone



Kit	Dimensions	Pallets/Weight	Build Time
Fireplace (33 W x 16 D x 19" H Interior)	60 x 36 x 102" H	5 (9,677 lbs.)	8 hrs.
Hearth	60 x 20 x 10" H	1 (709 lbs.)	3 hrs.
Woodbox (24 W x 28 D x 24" H Interior)	40 x 36 x 50" H	2 (4,061 lbs.)	1 hr.

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned.**


COLONIAL FIREPLACE KITS

Features:

- 2.25" fire brick protects block
- Optional **Woodbox Kit** (available left or right side), optional **Hearth Kit**
- **Gas Burning Option***
 - NG or LP conversion kit, all connections and instructions
 - 2 burner, 52,000 (NG), 49,000 (LP) max Btu's
 - 18" iron log rack, Arizona Weathered Oak ceramic log set
- Optional **Burner Log Set** (Specify NG or LP when ordering)

Colors: Beechwood, Bluestone, Cascade, Santa Fe

Cap/top Colors: Indiana Limestone



Kit	Dimensions	Pallets/Weight	Build Time
Fireplace (29 W x 18.5 D x 26.5" H Interior)	40 x 32 x 70" H	2 (4,360 lbs.)	3 hrs.
Hearth	40 x 12 x 6" H	1 (295 lbs.)	0.5 hr.
Woodbox (24 W x 24 D x 28" H Interior)	32 x 32 x 34" H	1 (1,665 lbs.)	1 hrs

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned.**


COMPACT FIREPLACE KITS

Features:

- 2.25" fire brick protects block
- Optional **Woodbox Kit** (available left or right side), optional **Hearth Kit**
- **Gas Burning Option***
 - NG or LP conversion kit, all connections and instructions
 - 2 burner, 52,000 max Btu's (NG), 49,000 (LP) max Btu's
 - 18" iron log rack, Arizona Weathered Oak ceramic log set
- Optional **Burner Log Set** (Specify NG or LP when ordering)

Colors: Beechwood, Bluestone, Cascade, Santa Fe

Cap/top Color: Indiana Limestone



Kit	Dimensions	Pallets/Weight	Build Time
Fireplace (29 W x 18.5 D x 26.5" H Interior)	40 x 32 x 70" H	2 (3,735 lbs.)	3 hrs.
Hearth	40 x 12 x 6" H	1 (295 lbs.)	0.5 hr.
Woodbox (24 W x 24 D x 28" H Interior)	32 x 32 x 34" H	1 (1,665 lbs.)	1 hrs.

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned.**


VICTORIAN FIREPLACE KITS

Features:

- 2.25" fire brick protects block
- Optional **Woodbox Kit** (available left or right side), optional **Hearth Kit**
- **Gas Burning Option***
 - NG or LP conversion kit, all connections and instructions
 - 2 burner, 52,000 (NG), 49,000 (LP) max Btu's
 - 18" iron log rack, Arizona Weathered Oak ceramic log set
- Optional **Burner Log Set** (Specify NG or LP when ordering)

Colors: Beechwood, Bluestone, Cascade, Santa Fe

Cap/top Color: Indiana Limestone



Kit	Dimensions	Pallets/Weight	Build Time
Fireplace (31 W x 17.5 D x 29.5" H Interior)	52 x 32 x 89" H	5 (6,610 lbs.)	8 hrs.
Hearth	52 x 18 x 10" H	1 (580 lbs.)	1 hr.
Woodbox (24 W x 24 D x 32" H Interior)	32 x 32 x 42" H	2 (2,190 lbs.)	3 hrs.

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned.**





FIRE RING KITS

GRAND GAS FIRE RING KIT:


- Push-button electronic ignition
- Firegear's stainless steel drop-in pan and connections (65,000 max Btu/hr) NG
- Thermo-couple auto shut-off safety feature
- #304 stainless steel construction
- All connections and fittings preassembled
- 40 lbs. lava rock
- Optional LP conversion kit
- Optional Fire Ring Cap (chiseled edge, eight-piece, in Bluestone, Buff, Indiana Limestone, 2.25" H)
- Optional Arizona Weathered Oak Log Set



Grand Gas Fire Ring



Grand Fire Rings




GRAND FIRE RING KITS:

- Specify 3 or 4 (**NEW**) course height when ordering
- One-piece, heavy gauge solid steel insert protects block (48" D x 12" H, 30.5" interior dia. x 8" H, 1.5" flang)
- Optional Fire Ring Cap (chiseled edge, eight-piece, in Bluestone, Buff, Indiana Limestone, 2.25" H)
- Optional Swivel Cooking Grate — removable, heavy steel construction, ADA compliant
- Optional E-Z Access Spark Screen — keep ash/sparks inside and debris out, hinged for easy access
- Optional Cover — heavy galvanized steel with or without cooking grate slot

VICTORIAN FIRE PIT KIT:

- Four-piece, heavy gauge, solid steel insert protects block
- Optional Swivel Cooking Grate




Victorian Fire Pit

Colors: Beechwood, Bluestone, Cascade, Santa Fe, (Onyx; Grand Fire Ring only)

BARN PLANK WALL FIRE PIT KIT:

- Four-piece, heavy gauge, solid steel insert protects block
- Optional Swivel Cooking Grate

Barn Plank Wall Fire Pit



Colors: Mahogany, Weathered Grey

Fire Ring Kit	Dimensions	Pallets/Weight	Build Time
Grand Fire Ring (Block Only)	48 x 12" H	1 (1,019 lbs.)	0.5 hr.
Grand Fire Ring, w/Insert (3 Courses)	48 x 12" H	1 (1,057 lbs.)	0.5 hr.
Grand Fire Ring, w/Insert (4 Courses) NEW	48 x 16" H	1 (1,403 lbs.)	0.5 hr.
Grand Fire Ring, w/Cooking Grate (3 Courses)	48 x 12" H	1 (1,085 lbs.)	0.5 hr.
Grand Fire Ring, w/Cooking Grate (4 Courses) NEW	48 x 16" H	1 (1,673 lbs.)	0.5 hr.
Victorian Fire Pit (Block Only, 3 Courses)	48" x 12" H	1 (1,285 lbs.)	0.5 hr.
Victorian Fire Pit, w/Steel Insert (3 Courses)	48" x 12" H	1 (1,310 lbs.)	0.5 hr.
Grand Gas Fire Ring (Natural Gas)	48 x 20" H	1 (1,710 lbs.)	0.5 hr.
Barn Plank Wall Fire Pit, w/Insert	48 x 12" H	1 (1,375 lbs.)	0.5 hr.
Barn Plank Wall Fire Pit, w/Cooking Grate	48 x 12" H	1 (1,400 lbs.)	0.5 hr.

Options/Accessories	Dimensions	Weight
Fire Ring Cap* (Indiana Limestone, Bluestone, or Buff)	52" dia. x 2.25" H	298 lbs.
Grand Cover (Heavy, Galvanized Steel)	37.9 dia. x 2.88" H	27 lbs.
Grand Cover w/Slot for Swivel Cooking Grate (Heavy, Galvanized Steel)	34.9 dia. x 1.88" H	27 lbs.
Grand Steel Ring Insert (Solid, 10-Gauge Steel w/1" Top Lip)	33.5 x 33.5 x 8.5" H	34 lbs.
Grand Swivel Cooking Grate (300 sq. in., ADA Approved, Removable)	19.25 x 17.5 x 2" H	10 lbs.
E-Z Access Spark Screen (Round, Hinged Spark Screen)	40 dia. x 18" H	22 lbs.
Grand Gas Fire Ring LP Gas Conversion Kit	-	-
AZ Weathered Oak Gas Log Stack (9 Piece Ceramic, 16" H)	16" H	36 lbs.
Square Insert for Victorian or Barn Plank Fire Pits (4-piece 10-Gauge Steel w/1" Top Lip)	33.5 x 33.5 x 8.5" H	34 lbs.
Swivel Cooking Grate for Square Insert (300 sq. in., ADA Approved, Removable)	19.25 x 17.5 x 2" H	10 lbs.

*Cannot be double stacked. Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned.**

SEATWALL AND PILLAR KITS

a) 20" PILLAR KIT:

- 2.25" H chiseled cap

b) 24" PILLAR KIT:

- 2.25" H chiseled cap

c) LAKELAND SEATWALL KIT:


- Creates a 6' straight wall
- Optional chiseled cap

d) RIVERLAND SEATWALL KIT:

- Creates an 8' radius wall
- Optional chiseled cap

Colors: Beechwood, Bluestone, Cascade, Santa Fe

Cap/top Color: Indiana Limestone



Kit	Dimensions	Pallets/Weight	Build Time
a) 20" Pillar (25 x 25 x 2.25" Top, Indiana Limestone only)	20 x 20 x 38" H	1 (1,260 lbs.)	0.5 hr.
b) 24" Pillar Kit (30 x 30 x 2.25" Top, Indiana Limestone only)	24 x 24 x 39" H	1 (1,665 lbs.)	0.5 hr.
c) Lakeland Seatwall	72 x 8 x 20" H	1 (1,075 lbs.)	0.5 hr.
d) Riverland Seatwall	108 x 8 x 20" H	1 (1,400 lbs.)	0.5 hr.

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned. Kits can be ordered with or without tops.**

WOODBBOX/STAND KIT

Features:


- Ideal for table top grills and pizza ovens
- Large opening for storage
- One-piece, chiseled edge top in Indiana Limestone

Colors: Beechwood, Bluestone, Cascade, Santa Fe

Dimensions	Pallets/Weight	Build Time
36 x 32 x 34" H	1 Pallet: (7,271 lbs.)	1 hr.

Build time assumes two people with limited skills and base work is complete prior to construction.


Kits cannot be returned. Kits can be ordered with or without tops.



GRAND ISLAND BAR KITS


a) GRAND ISLAND BAR/GRILL WITH STORAGE KIT:

- Summerset Sizzler Pro 32" grill*
- Stainless steel double doors - vented
- Silver Creek chiseled edge tops in Indiana Limestone
- two piece tops will not join up seamlessly



b) GRAND ISLAND BAR/GRILL WITH REFRIGERATOR OPENING KIT:

- Summerset Sizzler Pro 32" grill*
- Stainless steel double doors - vented
- Silver Creek chiseled edge tops in Indiana Limestone
- two piece tops will not join up seamlessly
- 24" x 36" x 28" H opening



***SUMMERSET SIZZLER PRO GRILLS:**

- #443 and 304 stainless steel construction
- Push-to-turn knob ignition 3" Heat Indicator
- 14,000 BTU #304 cast stainless steel burners
- 15,000 BTU infrared back burner
- Natural gas or propane fuel
- Double-lined hood assures optimal airflow
- 8mm cooking grates won't warp or rust
- Easy-clean briquette system for even heat
- 30" double stainless doors (Only w/Kit)
- LED exterior lights*
- Heat zone separators
- Twin Interior cooking lights*

Designate NG or LP fuel when ordering.

Deluxe Rotisserie: (optional)


- #304 stainless steel, heavy-duty motor and 25 lb. capacity*

*Pro Sizzler features require 120 volt electrical




c) GRILL SURROUND KIT:

- For standing grills, 60" opening
- Silver Creek chiseled edge tops in Indiana Limestone
- Two-piece tops will not join up seamlessly



d) GRAND ISLAND BAR 8' KIT

- Silver Creek chiseled edge tops in Indiana Limestone
- Two-piece tops will not join up seamlessly



Colors: Beechwood, Bluestone, Cascade, Santa Fe

Note: Grand Island Bar kits are for stand-alone construction!

Kit	Dimensions	Pallets/Weight	Build Time
a) Grand Island Bar w/Grill with Storage and 32" Sizzler Pro Grill	96 x 48 x 46" H	4 (7,341 lbs.)	7 hr.
b) Grand Island Bar w/Grill with Refrigerator Opening and 32" Sizzler Pro Grill	96 x 48 x 46" H	4 (7,341 lbs.)	7 hr.
c) Grand Island Grill Surround (Accommodates 60" Wide Freestanding Grill)	96 x 48 x 46" H	2 (4,915 lbs.)	4 hr.
d) Grand Island Bar	96 x 48 x 46" H	3 (7,271 lbs.)	6 hr.

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned. Kits can be ordered with or without tops.**

GRANITE TOP GRILL KITS

Features:

- Easy-to-read, step-by-step instructions
- Premium stainless steel grills and components
- Concrete precut and reinforcements sized to fit
- VOC-compliant adhesive and gloves
- High-grade, 3cm Solid Granite Tops in Black Pearle or Viscon White

Colors: Beechwood, Bluestone, Cascade, Santa Fe

*SUMMERSET SIZZLER PRO GRILLS:



- #443 and 304 stainless steel construction
- Push-to-turn knob ignition 3" Heat Indicator
- 14,000 BTU #304 cast stainless steel burners
- 15,000 BTU infrared back burner
- Natural gas or propane fuel
- Double-lined hood assures optimal airflow
- 8mm cooking grates won't warp or rust
- Easy-clean briquette system for even heat
- 30" double stainless doors (Only w/Kit)
- LED exterior lights*
- Heat zone separators
- Twin Interior cooking lights*

Designate NG or LP fuel when ordering.

Deluxe Rotisserie: (optional)

- #304 stainless steel, heavy-duty motor and 25 lb. capacity*

*Pro Sizzler features require 120 volt electrical



Kit	Dimensions	Pallets/Weight	Build Time
40" Sizzler Pro Grill Cabinet (5 burner) Summerset Sizzler Pro 40" Grill, 30" vented double doors, grill cover, 14,000 max Btu	56 x 28 x 37" H	2 (2,890 lbs.)	6 hrs.
32" Sizzler Pro Grill Cabinet (4 burner) Summerset Sizzler Pro 32" Grill, 30" vented double doors, grill cover, 14,000 max Btu	48 x 28 x 37" H	2 (2,535 lbs.)	5 hrs.
Deluxe Rotisserie Kit (optional) #304 stainless steel, heavy-duty motor, 25 lb. capacity.			
Grill Cover (replacement)			

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned. Kits can be ordered with or without tops.**



CONTEMPORARY OUTDOOR LIVING KITS

☉ SUMMERSET

STANDARD FEATURES:

- Easy-to-read, step-by-step instructions
- Rockwood's Contemporary Wall block
- Concrete precut and reinforcements sized to fit
- VOC-compliant adhesive and construction gloves



CONTEMPORARY WOOD BURNING FIRE PIT:

- Four courses (Beechwood or Cascade) + Onyx band
- Heavy-gauge, four-piece steel insert
- Optional, removable swivel cooking grate
- Optional Contemporary Wall Cap (in Cascade or Onyx)



CONTEMPORARY ISLAND BAR/GRILL:

- Summerset Sizzler Pro 32" stainless grill with cover
- Stainless steel, vented double doors and paver vent kit
- Three-piece, 3cm black pearl granite top
- LP or NG fuel



CONTEMPORARY GAS BURNING FIRE TABLE:

- Four corner/pillar block courses (Beechwood or Cascade) + Onyx band
- Contemporary Wall Cap (Onyx)
- Firegear's stainless steel drop-in pan and connections (100,000 max Btu)
- Piloted thermocouple safety valve, manual spark ignitor, lava rock and vent kit
- LP or NG fuel





CONTEMPORARY GAS BURNING FIRE PIT:

- Four courses (Beechwood or Cascade) + Onyx band
- Contemporary Wall Cap (Onyx)
- Firegear's stainless steel drop-in pan and connections (150,000 max Btu)
- Piloted thermocouple safety valve, manual spark ignitor, lava rock and vent kit
- LP or NG fuel

CONTEMPORARY FIREPLACE KIT:

- With protective firebrick
- In Beechwood or Cascade + Onyx bands
- 2.5" H Silver Creek chisled mantels/tops
- Optional Hearth Kit (one pallet, 600 lbs.)
- Optional Woodbox Kit





Kit	Pallets	Pallet Weight
a) Fireplace (Protective Firebrick, Silver Creek Chiseled Mantel/tops)	4/5	9,136 lbs.
- Woodbox (Silver Creek Chiseled Top)	1	1,930 lbs.
- Hearth (Silver Creek Chiseled top)	1	600 lbs.
b) Gas Fire Pit with Stainless Steel Burner/insert, Vent Kit. Specify LP or NG Fuel.	1	2,115 lbs.
c) Fire Pit with 4-piece Steel Insert	1	1,690 lbs.
- Fire Pit with 4-piece Steel Insert and Removable Swivel Cooking Grate	1	1,705 lbs.
- Optional Fire Pit Cap (Contemporary Cap Block in Onyx)	1	450 lbs.
d) Gas Fire Table with Stainless Steel Burner/insert, Vent Kit. Specify LP or NG fuel.	1	2,050 lbs.
e) Island Grill with 32" Sizzler Pro Drop-in Grill, Cover, Black Pearl Granite Top, Stainless Double Door	4	5,860 lbs.

Kits cannot be returned.

PAVER MATERIAL CALCULATOR

EXCAVATION DEPTH GUIDE: Gravel Base: Use minimum depths in a well-drained area or undisturbed soil. Use maximum depths in poorly drained area or disturbed soil. ½" less is required to compensate compacting of pavers. If soil is saturated more than 50% of the time, filter fabric and extra base should be used.

	Pedestrian Traffic	Light Vehicular Traffic
Pavers	2-3/8"	2-3/8"
Sand	1"	1"
Gravel Base (compacted)	4" – 6"	8" – 12"
Total Excavation Depth	7" – 9"	11" – 15"

BASE MATERIAL CALCULATOR: **Granular Base:** Square Footage of Pavers (x) (depth of base ÷ 12) ÷ 27 = Cubic Yards of Base Needed
Bedding Sand (1" depth): Square Footage of Pavers (x) 0.0031 = Cubic Yards of Sand Needed

RETAINING WALL MATERIAL CALCULATOR

Use the following methods to estimate the amount of base material, drainage rock, and adhesive needed.

BASE MATERIAL CALCULATOR: A typical trench is 2' wide X 14" deep to bury a full course of 8" block. Base material must be a minimum of 6" in height.

$$\frac{\text{Wall Length in ft.}}{\text{Base Height in ft.}} \times \frac{\text{Base Width in ft.}}{27} = \text{Cubic Yards*}$$

*Add 10% for inconsistencies in the trench and compaction.

DRAINAGE ROCK CALCULATOR: You need enough drainage rock to fill 1' behind the tail of the block and to fill any cores.

$$\frac{\text{Wall sq. ft.}}{1.33} \times 27 = \text{Cubic Yards}$$

ADHESIVE CALCULATOR: Adhesive required depends on block type and construction. Use the guide below to estimate the amount of adhesive required.


Approximate length of bead by width:

Tube Size	Bead Widths/Tube		
	1/8"	1/4"	3/8"
10.5 oz.	129 ft.	32 ft.	14 ft.
29 oz.	355 ft.	89 ft.	39 ft.

ONLINE CALCULATOR

Quickly and easily calculate paver and materials requirements from your desktop or mobile device. Send yourself a PDF of the results for your project planning.

Go to: <https://rochesterpc.com/estimator/>



CUSTOMER SERVICE POLICIES

THESE GENERAL TERMS AND CONDITIONS OF SALE (THESE "TERMS AND CONDITIONS") WILL APPLY TO THE SALE OF GOODS AND ANY (IF ANY) APPLICABLE SERVICES (COLLECTIVELY, WITH ANY SUCH SERVICES, BEING THE "GOODS") PURSUANT TO ANY CONTRACT (A "CONTRACT") TO WHICH THESE TERMS AND CONDITIONS ARE MADE APPLICABLE. AS USED IN THESE TERMS AND CONDITIONS, "WE," "US," "OUR" AND SIMILAR TERMS REFER TO ROCHESTER CONCRETE PRODUCTS, LLC, AND "CUSTOMER" MEANS THE PARTY PURCHASING THE GOODS FROM US.

ALTERATION: No provision in these Terms and Conditions may be varied or waived except by a writing signed by us specifically referring to these Terms and Conditions and describing such variance or waiver. Our acceptance or acknowledgment of Customer's purchase order or any other document pertaining to the Goods, even if in writing and signed by us, will not be deemed an acceptance of any provision of Customer's purchase order or any other document that conflicts with or adds to these Terms and Conditions, absent a separate agreement in writing signed by us expressly acknowledging and agreeing to such provisions. Without limiting the generality of the foregoing, we object to any different or additional terms or conditions contained in any request for quotation, purchase order or other document of Customer, and no such terms will be effective or binding upon us unless we agree to such terms in a writing signed by one of our officers. In no event will our delivery of any Goods be an assent to any such terms proposed by Customer. Unless otherwise expressly stated in any applicable quotation or comparable document signed by us, we may revoke any quotation or other offer at any time prior to acceptance, and no such quotation or other offer will be valid for more than 30 days. After acceptance of an order, Customer may not cancel or terminate any Contract without our consent, except as provided herein or by applicable law.

PAYMENT; DELIVERY: All prices are quoted and all payments will be made in U.S. Dollars. Customer will pay our invoices IN FULL on the terms stated in the applicable invoice, without set-off or counterclaim. Past due invoices will bear a late fee of 1.0% per month or, if less, the highest rate permitted by applicable law. Any stated shipment or delivery date is the date on which we in good faith believe the Goods will be shipped, but failure to ship on that date will not be a breach of the Contract, whether such Goods are in fact shipped before or after that date. All Goods are shipped Ex Works (Incoterms 2010) at our facilities, and costs of transportation and risk of loss during shipment will be borne by Customer. We may deliver any Goods hereunder in installments, in which case each installment will be treated as a separate sale hereunder and may be separately invoiced. Customer will pay all duties and sales, value-added, excise, use or other taxes arising in connection with any transaction (other than taxes based solely on our taxable income). Unless otherwise specified, Goods will be shipped in packaging we reasonably select.

DUTY TO INSPECT: Customer will inspect all Goods promptly upon delivery and notify us promptly upon becoming aware of any non-conformity to the Contract. Except as stated regarding any applicable written warranty, we will have no liability regarding any such non-conformity unless such notice is given to us no later than (i) for a defect that could be determined by inspection

upon delivery, the 30th day after delivery of such Goods, or (ii) for any other defect, the 30th day after such defect should reasonably have been discovered by Customer, but in each event not later than the 60th day after delivery of the Goods to Customer. Shipments less than 5% over or under the quantity specified in the Contract will be deemed in conformance with the Contract. Goods will not be deemed non-conforming solely by reason of minor modifications or changes in materials from those specified in the Contract, so long as such modifications and changes do not materially and adversely affect the performance of the Goods. If the Goods do not conform to the Contract, our obligation will be limited to, at our election, supplying the missing Goods, replacing the relevant Goods, or refunding the purchase price paid for such Goods (but in all cases as otherwise may be limited in any other Paragraph of these Terms and Conditions or the Contract).

SECURITY INTEREST: We reserve, and Customer hereby grants to us, a security interest in all Goods. That security interest secures all present and future obligations of Customer to us, including but not limited to the obligation to pay the price of the Goods. We may make any such filings as reasonably necessary to perfect such security interest (and Customer will cooperate promptly in all reasonable respects in connection therewith).

OUR WARRANTY: Customer will ensure that any written warranty that we provide with the Goods is properly given to the end user of the Goods (whether by providing such warranty directly or causing Customer's contractors to do so).

LIMITED WARRANTY: We make no warranty of any nature whatsoever with respect to the Goods, other than any written, limited warranty that we may provide at the time we provide the Goods. If Customer discovers any breach of or similar creation of obligation under the warranty described above, Customer must notify us in writing thereof within 30 days after such discovery. Within a reasonable time following such notification, we will determine whether such warranty in fact applies and will, at our option, either (i) repair or replace the applicable Goods, (ii) remit to Customer the purchase price paid for such Goods, or (iii) take any other action consistent with the terms of such warranty. The foregoing warranties are exclusive. we make no other warranty, express or implied, including but not limited to any implied warranty of merchantability, non-infringement or fitness for a particular purpose. the remedies set forth in this paragraph are the exclusive remedy for any breach of or similar creation of obligation under warranty. The remedies set forth in this Paragraph will not be deemed to have failed of their essential purpose so long as we are willing and able to provide one of the applicable remedies set forth herein.

LIMITATIONS: Without limiting any other limitation of liability, in no event will we be liable for any incidental, indirect or consequential damages of any kind, whether for breach of any warranty, breach or repudiation of any other term or condition, negligence, strict liability, or otherwise. In no event will our aggregate liability to, through or on behalf of customer in any way related to this or any related transaction exceed the total amount paid to us under the applicable contract.

FORCE MAJEURE: We will not be liable for any failure to manufacture, deliver or provide, or for any delay in the manufacture, delivery or provision of, any Goods if such failure or delay is caused by act of God, fire, strike, blackout, labor difficulty, riot, inability to obtain raw materials, supplies or other goods or services, equipment, labor or transportation, governmental restrictions, public health nuisance, or similar cause over which we are unable to exercise adequate control. We may cancel any Contract by notice to Customer if we determine in good faith that any such cause makes performance of the Contract impossible or commercially impracticable for us.

CONFIDENTIAL INFORMATION: "Confidential Information" means information that you obtain from or regarding us regarding our products, business practices, customers, assets or other matters, excluding any information that is publicly available when provided or thereafter becomes publicly available, other than by reason of your breach hereof. You will (i) not use any Confidential Information other than for the performance of any Contract, (ii) not disclose Confidential Information, except to your employees and contractors requiring such information for the performance of any Contract, (iii) use your best efforts to prevent your employees, your contractors, and your contractors' employees from using or disclosing Confidential Information to any party, except as permitted by this Paragraph, and (iv) return all Confidential Information to us upon our request following completion or termination of any Contract. This Paragraph (and all related rights and remedies) will survive performance or termination of any Contract.

MISCELLANEOUS: All rights and obligations under these Terms and Conditions and any Contract will be governed by the laws of the State of Minnesota (without regard to principles of conflicts of law). The headings herein are for convenience of reference only and will not affect any meaning or interpretation. The United Nations Convention on Contracts for the International Sale of Goods will not apply.

Customer hereby irrevocably submits to the exclusive jurisdiction of any court sitting in Hennepin county, Minnesota, in any proceeding arising out of or relating to the interactions between us and customer and to the respective court to which an appeal of the decisions of any such court may be taken, and customer agrees not to commence, or cooperate in or encourage the commencement of, any such proceeding, except in such a court. Customer hereby irrevocably waives, to the fullest extent it may do so, the defense of an inconvenient forum to the maintenance therein of such a proceeding. customer hereby agrees that a final judgment in any such proceeding will be conclusive and may be enforced in any jurisdiction by suit on the judgment or by any other manner provided by applicable law. Customer hereby expressly waives any right it may have to a jury trial in any such proceeding, no claim or action, regardless of form, arising out of the interactions between us and customer may be brought by or on behalf of customer more than one year after the cause of action has accrued (subject to any further applicable limitation). If any such legal action is brought, the prevailing party will be awarded reasonable attorneys' fees in addition to any other relief that may be granted. THESE GENERAL TERMS AND CONDITIONS OF SALE (THESE "TERMS AND CONDITIONS") WILL APPLY TO THE SALE OF GOODS AND ANY (IF ANY) APPLICABLE SERVICES (COLLECTIVELY, WITH ANY SUCH SERVICES, BEING THE "GOODS") PURSUANT TO ANY CONTRACT (A "CONTRACT") TO WHICH THESE TERMS AND

GENERAL TERMS AND CONDITIONS OF SALE

CONDITIONS ARE MADE APPLICABLE. AS USED IN THESE TERMS AND CONDITIONS, "WE," "US," "OUR" AND SIMILAR TERMS REFER TO ROCHESTER CONCRETE PRODUCTS, LLC, AND "CUSTOMER" MEANS THE PARTY PURCHASING THE GOODS FROM US.

ALTERATION: No provision in these Terms and Conditions may be varied or waived except by a writing signed by us specifically referring to these Terms and Conditions and describing such variance or waiver. Our acceptance or acknowledgment of Customer's purchase order or any other document pertaining to the Goods, even if in writing and signed by us, will not be deemed an acceptance of any provision of Customer's purchase order or any other document that conflicts with or adds to these Terms and Conditions, absent a separate agreement in writing signed by us expressly acknowledging and agreeing to such provisions. Without limiting the generality of the foregoing, we object to any different or additional terms or conditions contained in any request for quotation, purchase order or other document of Customer, and no such terms will be effective or binding upon us unless we agree to such terms in a writing signed by one of our officers. In no event will our delivery of any Goods be an assent to any such terms proposed by Customer. Unless otherwise expressly stated in any applicable quotation or comparable document signed by us, we may revoke any quotation or other offer at any time prior to acceptance, and no such quotation or other offer will be valid for more than 30 days. After acceptance of an order, Customer may not cancel or terminate any Contract without our consent, except as provided herein or by applicable law.

PAYMENT; DELIVERY: All prices are quoted and all payments will be made in U.S. Dollars. Customer will pay our invoices IN FULL on the terms stated in the applicable invoice, without set-off or counterclaim. Past due invoices will bear a late fee of 1.0% per month or, if less, the highest rate permitted by applicable law. Any stated shipment or delivery date is the date on which we in good faith believe the Goods will be shipped, but failure to ship on that date will not be a breach of the Contract, whether such Goods are in fact shipped before or after that date. All Goods are shipped Ex Works (Incoterms 2010) at our facilities, and costs of transportation and risk of loss during shipment will be borne by Customer. We may deliver any Goods hereunder in installments, in which case each installment will be treated as a separate sale hereunder and may be separately invoiced. Customer will pay all duties and sales, value-added, excise, use or other taxes arising in connection with any transaction (other than taxes based solely on our taxable income). Unless otherwise specified, Goods will be shipped in packaging we reasonably select.

DUTY TO INSPECT: Customer will inspect all Goods promptly upon delivery and notify us promptly upon becoming aware of any non-conformity to the Contract. Except as stated regarding any applicable written warranty, we will have no liability regarding any such non-conformity unless such notice is given to us no later than (i) for a defect that could be determined by inspection

upon delivery, the 30th day after delivery of such Goods, or (ii) for any other defect, the 30th day after such defect should reasonably have been discovered by Customer, but in each event not later than the 60th day after delivery of the Goods to Customer. Shipments less than 5% over or under the quantity specified in the Contract will be deemed in conformance with the Contract. Goods will not be deemed non-conforming solely by reason of minor modifications or changes in materials from those specified in the Contract, so long as such modifications and changes do not materially and adversely affect the performance of the Goods. If the Goods do not conform to the Contract, our obligation will be limited to, at our election, supplying the missing Goods, replacing the relevant Goods, or refunding the purchase price paid for such Goods (but in all cases as otherwise may be limited in any other Paragraph of these Terms and Conditions or the Contract).

SECURITY INTEREST: We reserve, and Customer hereby grants to us, a security interest in all Goods. That security interest secures all present and future obligations of Customer to us, including but not limited to the obligation to pay the price of the Goods. We may make any such filings as reasonably necessary to perfect such security interest (and Customer will cooperate promptly in all reasonable respects in connection therewith).

OUR WARRANTY: Customer will ensure that any written warranty that we provide with the Goods is properly given to the end user of the Goods (whether by providing such warranty directly or causing Customer's contractors to do so).

LIMITED WARRANTY: We make no warranty of any nature whatsoever with respect to the Goods, other than any written, limited warranty that we may provide at the time we provide the Goods. If Customer discovers any breach of or similar creation of obligation under the warranty described above, Customer must notify us in writing thereof within 30 days after such discovery. Within a reasonable time following such notification, we will determine whether such warranty in fact applies and will, at our option, either (i) repair or replace the applicable Goods, (ii) remit to Customer the purchase price paid for such Goods, or (iii) take any other action consistent with the terms of such warranty. The foregoing warranties are exclusive. we make no other warranty, express or implied, including but not limited to any implied warranty of merchantability, non-infringement or fitness for a particular purpose. the remedies set forth in this paragraph are the exclusive remedy for any breach of or similar creation of obligation under warranty. The remedies set forth in this Paragraph will not be deemed to have failed of their essential purpose so long as we are willing and able to provide one of the applicable remedies set forth herein.

LIMITATIONS: Without limiting any other limitation of liability, in no event will we be liable for any incidental, indirect or consequential damages of any kind, whether for breach of any warranty, breach or repudiation of any other term or condition, negligence, strict liability, or otherwise. In no event will our aggregate liability to, through or on behalf of customer in any way related to this or any related transaction exceed the total amount paid to us under the applicable contract.

FORCE MAJEURE: We will not be liable for any failure to manufacture, deliver or provide, or for any delay in the manufacture, delivery or provision of, any Goods if such failure or delay is caused by act of God, fire, strike, blackout, labor difficulty, riot, inability to obtain raw materials, supplies or other goods or services, equipment, labor or transportation, governmental restrictions, public health nuisance, or similar cause over which we are unable to exercise adequate control. We may cancel any Contract by notice to Customer if we determine in good faith that any such cause makes performance of the Contract impossible or commercially impracticable for us.

CONFIDENTIAL INFORMATION: "Confidential Information" means information that you obtain from or regarding us regarding our products, business practices, customers, assets or other matters, excluding any information that is publicly available when provided or thereafter becomes publicly available, other than by reason of your breach hereof. You will (i) not use any Confidential Information other than for the performance of any Contract, (ii) not disclose Confidential Information, except to your employees and contractors requiring such information for the performance of any Contract, (iii) use your best efforts to prevent your employees, your contractors, and your contractors' employees from using or disclosing Confidential Information to any party, except as permitted by this Paragraph, and (iv) return all Confidential Information to us upon our request following completion or termination of any Contract. This Paragraph (and all related rights and remedies) will survive performance or termination of any Contract.

MISCELLANEOUS: All rights and obligations under these Terms and Conditions and any Contract will be governed by the laws of the State of Minnesota (without regard to principles of conflicts of law). The headings herein are for convenience of reference only and will not affect any meaning or interpretation. The United Nations Convention on Contracts for the International Sale of Goods will not apply.

Customer hereby irrevocably submits to the exclusive jurisdiction of any court sitting in Hennepin county, Minnesota, in any proceeding arising out of or relating to the interactions between us and customer and to the respective court to which an appeal of the decisions of any such court may be taken, and customer agrees not to commence, or cooperate in or encourage the commencement of, any such proceeding, except in such a court. Customer hereby irrevocably waives, to the fullest extent it may do so, the defense of an inconvenient forum to the maintenance therein of such a proceeding. customer hereby agrees that a final judgment in any such proceeding will be conclusive and may be enforced in any jurisdiction by suit on the judgment or by any other manner provided by applicable law. Customer hereby expressly waives any right it may have to a jury trial in any such proceeding, no claim or action, regardless of form, arising out of the interactions between us and customer may be brought by or on behalf of customer more than one year after the cause of action has accrued (subject to any further applicable limitation). If any such legal action is brought, the prevailing party will be awarded reasonable attorneys' fees in addition to any other relief that may be granted.

LIMITED LIFETIME WARRANTY

Our products are designed to withstand the everyday use and abuse that you, time and Mother Nature can throw at them. Our limited lifetime warranty assures homeowners that what's meant to last, will last... and if it doesn't, we'll stand behind it.

IMPORTANT NOTICE: Read this entire RCP Limited Lifetime Warranty and Limitation of Liability ("Limited Warranty"). It is important that the warranted products be properly installed and maintained in order for them to function successfully throughout the duration of this Limited Warranty. Depending on the product's application, installation guides can be found at www.rochesterpcp.com. It is also important for your installer to carefully review the technical information, including specifications, for the chosen use of your RCP products as it may be the responsibility of the installer or design engineer to provide independent soil testing, quality assurance inspection, testing, and design services necessary to ensure a safe and functional application.



This Limited Warranty applies only to RCP products that are purchased and used as part of Rockwood Retaining Wall Systems installed in owner-occupied single-family homes within the United States, subject to the stated conditions and limitations. This Limited Warranty does not extend to any current or future products distributed, but not manufactured, by RCP. This Limited Warranty applies only to RCP's products and not to the system into which they may be placed. Nor does this Limited Warranty cover RCP products used in governmental, commercial, or multi-residential applications.

LIMITED LIFETIME WARRANTY FOR RCP PRODUCTS INSTALLED IN OWNER-OCCUPIED SINGLE-FAMILY HOMES AS A PART OF A ROCKWOOD WALL OR HARDSCAPE SYSTEM.

RCP warrants that its products will be free from defects for as long as you own your home. If RCP is given prompt notice of a defect, it shall, at its sole option: (1) repair or replace the defective product(s), or (2) refund the original purchase price of the defective product(s). This Limited Lifetime Warranty is provided only to the owner(s) of the home at the time of purchase and may not be assigned or transferred. In the event the owner(s) sells the home, this warranty automatically converts to a two-year limited warranty affording the same scope of protection and governed by the same conditions, disclaimers and limitations of this Limited Lifetime Warranty. If RCP elects to repair the defect, it shall be responsible for the labor to accomplish the repair. If RCP elects to replace the defective product(s), its obligation is to deliver suitable replacement product to owner's property.

LIMITATION OF LIABILITY

This Limited Warranty sets forth the maximum liability for our products. IN NO EVENT (INCLUDING WHERE THIS LIMITED WARRANTY IS DEEMED NOT TO APPLY TO THE SALE OR PRODUCT IN QUESTION) SHALL RCP, GLS INDUSTRIES, INC., OR ROCKWOOD RETAINING WALLS, INC. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES RESULTING FROM THE SALE, INSTALLATION OR USE OF ANY RCP PRODUCTS. Some states do not allow the exclusion or limitation of incidental or consequential damages for consumers, so the above limitation or exclusion may not apply to you.

LIMITATION OF WARRANTY

RCP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES FOR MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE.

DISCLAIMER – WHAT THIS LIMITED WARRANTY DOES NOT COVER

RCP is not responsible for or makes no warranty as to:

1. Product failure, loss or damage due to:
 - Normal wear and tear;
 - Damage due to improper handling and repeated or extended contact with chemicals, such as de-icers;
 - Products improperly installed or maintained;
 - Acts of God;
 - Structural settlement, movement or vibration;
 - Products that have not been paid for in full.
2. Minor imperfections
 - Minor imperfections that do not affect the product's structural integrity;
 - Variations in product texture or color;
 - Efflorescence;
 - Minor imperfections in shape, appearance, or dimensions covered by ASTM C1372.

CONDITIONS OF WARRANTY – WHAT YOU MUST DO TO RECOVER UNDER THIS LIMITED WARRANTY

PROMPT NOTICE OF DEFECT:

Within the warranty period, you must promptly, and in no case more than one (1) year after any defect or other basis of a claim covered by this Limited Warranty is discovered or should have been discovered, notify RCP of the defect. Any claims otherwise covered by this Limited Warranty, but for which RCP did not receive notice of the defect within one (1) year from the time the problem first became known, shall be barred.

LIMITED WARRANTY CLAIM PROCEDURE

Claims under this Limited Warranty may be made in writing to RCP at 7200 Broadway Ave. N, Rochester, MN 55906.

Claims should include the following information:

1. Claimant's name, address and phone number, and the installation address (if different);
2. A description of the product, purchase price, date and location of purchase, and copies of invoices, if available;
3. A description of the defect(s) (photos are required); and
4. A brief summary of attempts made to address the concerns.

NO STATEMENT OF USEFUL LIFE

This Limited Warranty is not a statement of the useful life of any RCP products.

dms.us.51883281.01



Rochester Concrete Products is third-generation, family-owned business with mortarless concrete manufacturing experience dating back to 1914.

© 2024 Rochester Concrete Products. All Rights Reserved. All trademarks and registered trademarks are the property of their respective owners. Rockwood Retaining Walls products are made worldwide under license from Rockwood Retaining Walls, Inc. US and international patents issued and pending.

Printed in the USA. 125



www.rochestercp.com



Corporate Office: 7200 Broadway Ave. N., Rochester, MN 55906 • Phone (507) 288-8850 • rochestercp.com

